

Color: White

Shell: Non-Vented

JUNE 2024

NATIONAL SAFETY MONTH

HEAD PROTECTION

Evolution[®] Deluxe Cap Style Hard Hat

- 6-Point polyester textile suspension system offers unrivaled comfort without compromising performance
- Revolution[™] wheel ratchet is easy to use and
- creates a firm comfortable fit
- Chamlon[™] sweatband
- Universal accessory slots accept virtually any competitors' accessories
- Meets ANSI/ISEA Z89.1, Type I, Class E requirements

PART # LEGACY # QTY.

116689910 407031 1

MARNING: Reproductive Harm - www.P65Warnings.ca.gov.



Color: White Shell: Non-Vented

Evolution[®] Deluxe Full Brim Hard Hat

- 6-Point suspension system with polyester textile straps offers unrivaled comfort without compromising performance
- Revolution[™] wheel ratchet is easy to use and creates a firm comfortable fit
- Chamlon[™] sweatband for maximum sweat absorption
- Universal slots to fit various accessories
- Meets ANSI/ISEA Z89.1, Type I, Class E requirements

PART # LEGACY # QTY.

116715500 7889415 1

MARNING: Reproductive Harm - www.P65Warnings.ca.gov.

EYE PROTECTION

SAF-LINE[™] Classic Safety Glasses

- Ultra lightweight
- Soft and longer temples, holds glasses in placeAll day comfort for any job site

PART #	LEGACY #	QTY.
116693228	408131	1
116693231	408131-10	10

Frames: Clear/MSS[™] Blue Lens: Clear Coating: Anti-Scratch

WARNING: This product can expose you to chemicals including [Bisphenol A (BPA)], which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SAF-LINE[™] Advanced Safety Glasses

- Brow guard helps block debris
- Lower temple component soft and flexible
- Comfortable & soft rubber nosepiece

PART #	LEGACY #	QTY.
116693234	408132	1
116693237	408132-10	10

Frames: Clear/MSSSM Blue Lens: Clear Coating: Anti-Scratch

Frames: MSSSM Blue Lens: Clear Coating: Anti-Scratch

WARNING: This product can expose you to chemicals including [Bisphenol A (BPA)], which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SAF-LINE[™] Pro Safety Glasses

- Polycarbonate wrap around lens
- Contoured temple tips
- Comfortable & soft rubber nosepiece

PART #	LEGACY #	QTY.
116693241	408133	1
116693244	408133-10	10


WARNING: This product can expose you to chemicals including [Bisphenol A (BPA)], which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



JUNE 2024

Gateway Conqueror[®] Safety Eyewear

- A soft, rubber nosepiece and ergonomic, contoured temple tips for all-day wearability
- Adjustable length evewear retainer with each pair independently tested and certified by Underwriters Laboratories to meet ANSI 287.1+ and CSA Z94.3 standards



PART #	LEGACY #	FRAME	LENS	COATING	QTY.
116693252	408135	Classic Camo	Clear	Anti-Fog	1
116693256	408135-10	Classic Camo	Clear	Anti-Fog	10
116693247	408134	Old Glory Red/White/Blue	Clear	-	1
116693250	408134-10	Old Glory Red/White/Blue	Clear	-	10

1 **[**] | **[**] Recon[™] Safety Glasses

- Lightweight, rimless design provides all day comfort
- Flexible bayonet temples contain rubber pads for a secure, non-slip fit
- Adjustable rubber nosepiece provides a comfortable fit
- 9 base curve lens
- Meets ANSI Z87.1+ and CSA Z94.3

PART #	LEGACY #	QTY.
116689731	406905	1
116689734	406905-12	12

MARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov.

Zenon Z-Lyte[™] Safety Glasses

- Weighing in at 16 grams, Z-Lyte brings in a new era of lightweight safety eyewear
- Modern wraparound lens style will look great on a variety of users
- Thin temple provides a secure fit without pressure


PART #	LEGACY #	COATING	QTY.
116689749	406908	Anti-Scratch	1
116689751	406908-12	Anti-Scratch	12
116689755	406909	Anti-Scratch/Anti-Fog	1
116689758	406909-12	Anti-Scratch/Anti-Fog	12

MARNING: Reproductive Harm - www.P65Warnings.ca.gov.

SteelyBlues[®] Metal Detectable Safety Glasses

- Blue steel and translucent blue temples for enhanced identification and sleek styling
- · Provides end-to-end, component-level metal detectability in a lightweight, comfortable design
- Ergonomic, lightweight design (weighs less than one ounce) for all day wearability
- fX3[™] premium anti-fog lens provides superior fogging resistance
- Meets ANSI Z87.1+, CSA Z94.3 and the ballistic impact resistance requirements for evewear in US Military
- Performance Specification MIL PRF-32432 (GL)

PART #	TEMPLE	LENS	COATING	QTY.	
119472211	Translucent Blue	Clear	fX3 Premium Anti-Fog	1	
119472212	Translucent Blue	Clear	fX3 Premium Anti-Fog	10	



- Rugged polycarbonate lens filters 99.9% of harmful
- Lightweight construction good for long term wear
- ANSI Z87+ and CSA Z94.3


PART #	LEGACY #	FRAME	LENS	COATING	QTY.
116743423	MCRCL110AF-1	Clear	Clear	Anti-Fog	1
116743418	MCRCL110AF	Clear	Clear	Anti-Fog	12
116743439	MCRCL112AF-1	Gray	Gray	Anti-Fog	1
116743434	MCRCL112AF	Gray	Gray	Anti-Fog	12
116743448	MCRCL113-1	Light Blue	Light Blue	-	1
116743444	MCRCL113	Light Blue	Light Blue	-	12
116743460	MCRCL114-1	Amber	Amber	-	1
116743453	MCRCL114	Amber	Amber	-	12
102282461	MCRCL117	Smoke	Silver Mirror	-	12

Kleen View[®] Lens Cleaning Towelettes

- Anti-fog, anti-static and individually wrapped towelettes that help extend the life of eye wear
- 100 moistened towelettes/box


QTY.
1
10





Checklite CL1 Series Safety Glasses







Frames: Clear

Anti-Reflective

Coating: Anti-Scratch/

Frames: Clear Lens: Clear

Lens: Clear

JUNE 2024

HEARING PROTECTION

MOLDEX *Mellows* Disposable Earplugs

- Extra-soft, low-pressure foam for comfort and fit
- Tapered shape for easy insertion and removal
- Non-irritating smooth surface
- High visibility color makes compliance checks quick and easy
- Shaped to fit even very small ear canals
- 100% PVC-free

PART #	LEGACY #	DESCRIPTION	QTY.
116758486	MOL6820	Disposable, Uncorded	200 Pair
116758491	MOL6840	Disposable, Corded	100 Pair

Color: Orange NRR: 30 dB



- **Disposable Earplugs** • Soft, slow recovery foam and contoured shape molds easily to the ear canal for all day comfort
- The contours follow the shape of the ear canal which means less pressure at the smallest diameter of the ear canal
- Independently tested to ANSI S3.19-1974
- 100% PVC-free

PART #	LEGACY #	DESCRIPTION	QTY.
116758496	MOL6870	Disposable, Uncorded	200 Pair
116758511	MOL6970	Disposable, Corded	100 Pair



Mega Bullet[™] Disposable Soft Foam Earplugs

- Consistent cellular structure for optimal expansion recovery time for a custom, uniform fit
- Smooth closed cell outer layer that prevents debris build-up
- Soft and comfortable PowerSoft[™] foam supports all day comfort

PART #	LEGACY #	DESCRIPTION	QTY.
116689712	406897	Disposable, Uncorded	200 Pair
116689715	406898	Disposable, Corded	100 Pair



PART #	LEGACY #	DESCRIPTION	QTY.
116689712	406897	Disposable, Uncorded	200 Pair
116689715	406898	Disposable, Corded	100 Pair

Foam Earplugs

recovery time for a custom, uniform fit



Color: Blue

NRR: 32 dB

NRR: 32 dB

- build-up • Soft and comfortable PowerSoft[™] foam supports long term comfort
- Metal detectable (blue) recommended for use in the food industry

PART #	LEGACY #	DESCRIPTION	QTY.
116683837	404785	Disposable, Corded	100 Pair



JUNE 2024

Honeywell

Laser Lite® Earplugs

Vibrant colors make protection visible

- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth soil-resistant closed-cell foam skin prevents dirt build-up

PART #	LEGACY #	DESCRIPTION	QTY.
112695130	HOWLL-1	Disposable, Uncorded	200 Pair
116746583	HOWLL-30	Disposable, Corded	100 Pair

311 Tri-Flange[™] Earplugs P3000

- Triple-flanged, pre-molded earplugs fit comfortably in a wide range of ear sizes
- Soft, flexible flanges conform to the shape of the ear canal for comfortable noise reduction
- No need to roll earplugs before fitting so the tips stay clean even if hands are dirty
- Color: Yellow NRR: 26 dB

100

Color: Yellow

Color: Magenta/Yellow

NRR: 32 dB

LEGACY # DESCRIPTION OTY. 116692364 407899 Reusable, No Roll, Corded 100

3M E-A-R[™] UltraFit[™] Reusable Earplugs

- Carrying case keeps earplugs clean and accessible for re-use
- Proprietary, pre-molded, triple-flange earplug design inserts easily

PART #

• Soft polymer is washable and reusable



NRR: 25 dB PART # IFGACY # DESCRIPTION QTY. 102640961 AEA340-4001 Reusable, No roll, Uncorded with case 50 Pair 50 Pair 102640962 AEA340-4002 Reusable, No roll, Corded with case 102651871 AEA340-4003 Reusable. No roll. Uncorded 100 Pair 102642936 AEA340-4004 Reusable, No roll, Corded 100 Pair

SOUNDDECISION[™] Ear Muff

- An economical option for limited hearing protection budgets
- Three-position, dielectric earmuff
- Fully adjustable for improved fit
- Lightweight with padded headband and soft ear cushions for comfort
- Independently tested to a 25 NRR

PART #	TYPE	QTY.
119210757	Over-the-Head	1
119210758	Over-the-Head	6



Color: Green NRR: 25 dB



Mining, construction, and manufacturing industries have the highest prevalence of workers with hearing loss. 34% of workers exposed to hazardous levels of noise report not utilizing hearing protection. Of the more

than 20,000 workplace hearing loss

cases each year, most of them result in permanent hearing loss. A basic set of earplugs are able to lower noise levels by up to 30 dB, providing adequate noise reduction for most hazardous sounds. With so many cases of permanent hearing loss stemming from workplace noise, protecting your ears with earplugs is a simple and effective way to safeguard your hearing health.



JUNE 2024

RESPIRATORY PROTECTION

MOLDEX 2200N95 Series Particulate Respirator

- Dura-Mesh® shell resists collapsing in heat and humidity
- Molded nose bridge seals easily without a metal noseband
- Facepiece is naturally contoured without pressure points
- Straps are securely attached so they don't break at the seal

PART #	LEGACY #	VALVE TYPE	SIZE	QTY.
112290631	MOL2200N95	None	M/L	10

MOLDEX 2300N95 Series Particulate Respirators with Exhale Valve

100% PVC-Free

PART # 112100

- Exhale valve lets workers breathe easy and stay cool
- Soft, foam nose cushion for added comfort
- Softspun[®] lining for increased comfort and durability
- Suitable for most welding applications
- Meets heat and flame resistance in accordance with ANSI/

/ISEA	110.2003 Sec	tion 7.11.1		
	LEGACY #	VALVE TYPE	SIZE	QTY.
589	MOL2300N95	Button	M/L	10

MOLDEX 2400N95 Plus Relief from Organic Vapors Particulate Respirator with Exhale Valve

- Added carbon layer helps filter out nuisance levels of ozone and organic vapors (less than OSHA PEL)
- Can be used against most welding fumes (free of oil)
- Added carbon layer helps relieve against nuisance ozone and organic vapors



- Exhale valve lets workers breathe easy and stay cool • Exclusive Dura-Mesh® shell resists collapsing in heat and humidity
- Molded nose bridge with soft foam nose cushion increases comfort
- Facepiece is naturally contoured without pressure points
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1
- 100% PVC-Free

113356304 MOL2400N95 Button M/L 10	PART #	LEGACY #	VALVE TYPE	SIZE	QTY.
	113356304	MOL2400N95	Button	M/L	10

MOLDEX 2700N95 Series Particulate Respirators with HandyStrap® & Ventex® Valve

- HandyStrap[®], with buckle, allows mask to hang around the user's neck when not in use
- Cloth HandyStrap feels cool and comfortable
- Ventex[®] valve lets the hot air out faster so workers breathe easier and stay cooler
- Dura-Mesh® shell resists collapsing in heat and humidity
- Softspun[®] lining for increased comfort and durability
- 100% PVC-Free

PART #	LEGACY #	VALVE TYPE	SIZE	QTY.
113414093	MOL2700N95	Ventex®	M/L	10

311 Particulate Respirators 8511 N95

- Designed to help provide comfortable, reliable worker protection
- NIOSH Approved N95, TC-84A-1299
- One-way valve offers easy exhalation and cool, dry comfort
- M-noseclip adjusts easily for fewer pressure points and greater comfort and reduces the potential for eyewear fogging

PART #	LEGACY #	VALVE TYPE	QTY.
116760963	PA91431	Exhale Valve	10
116760968	PA91432	Exhale Valve	80

Particulate Respirator 8247, R95 with Nuisance Level* Organic Vapor

- Helps provide comfortable protection against certain oil and non-oil based particles, including those present with nuisance levels of organic vapors such as solvents, degreasers and resins
- Disposable, elastic strap

PART # LEGACY #	VALVE TYPE	QTY.
-----------------	------------	------

116699586	AEA8247	None	20
-----------	---------	------	----

*Nuisance levels refer to concentrations not exceeding OSHA PEL/OEL or applicable exposure limits, whichever is lower.

TruAir® N95 Disposable Respirators

- Traditional design is widely accepted, helping increase compliance, while answering the call for cost-effective disposable respiratory protection
- NIOSH approved N95 protection
- 95% filtration against aerosols free of oils below Permissible Exposure Limit (PEL)
- Large, molded shell helps to reduce breathing resistance, minimizing end-user fatigue
- Adjustable metal nosepiece provides a safe, secure fit
- Non-latex, elastic head straps

PART #	LEGACY #	VALVE TYPE	QTY.
116681167	403274	Unvented	20
116681171	403274-240	Unvented	240
116681176	403277	Vented	10
116681180	403277-120	Vented	120















NFUSED TOUCH SCREEN

12

CE

JUNE 2024

HAND PROTECTION

IRONCLAD[®] COMMAND[™] Impact HI-VIZ Glove

- Reinforced Command[™] touchscreen synthetic suede padded palm
- Breathable polyester knit back of hand • TPR back of hand and thumb impact protection
- Reflective flex panel

(**4**) €

PART #

11772

11674

11772

11674

11772

11674

11772 11674 11772

- Thumb saddle reinforcement
- EN 388:2016 ANSI 105



ŧ	LEGACY #	SIZE	QTY.
8114	IC-IEX-HZI-S	S	1
7727	IC-IEX-HZI-S	S	12
8115	IC-IEX-HZI-M	Μ	1
7724	IC-IEX-HZI-M	М	12
8116	IC-IEX-HZI-L	L	1
7719	IC-IEX-HZI-L	L	12
8117	IC-IEX-HZI-XL	XL	1
7732	IC-IEX-HZI-XL	XL	12
8118	IC-IEX-HZI-XXL	XXL	1



MCR Cut Pro[®] Cut Resistant Work Gloves

- Blue bi-polymer coated palm and fingertips
- Breathable option for maximum comfort
- Cool and comfortable
- Treated with ActiFresh[®]
- Very good abrasion resistance

PART #	LEGACY #	SIZE	QTY.
116740449	MCR9672DTS-1	S	1
116740444	MCR9672DTS	S	12
116740439	MCR9672DTM-1	Μ	1
116740434	MCR9672DTM	М	12
116740428	MCR9672DTL-1	L	1
116740423	MCR9672DTL	L	12
116740460	MCR9672DTXL-1	XL	1
116740455	MCR9672DTXL	XL	12

MARNING: Cancer and Reproductive Harmwww.P65Warnings.ca.gov.

1 **| | | | |** | MaxiFlex[®] Ultimate[™] Nitrile Coated Gloves

- Microfoam nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance
- Knit wrist helps prevent dirt and debris from entering the glove
- Touchscreen compatible to allow the user to operate a touch screen phone or device without removing gloves

PART #	LEGACY #	SIZE	QTY.
116763783	PIP34-874-S	S	12
116763778	PIP34-874-M	М	12
116763773	PIP34-874-L	L	12
116763786	PIP34-874-XL	XL	12
120096326	PIP-34-874-XXL	XXL	12

💷 🖉 G-Tek® PolyKor® Glove

- Seamless construction offers increased comfort and breathability
- Reinforced thumb crotch provides longer wear life and increased protection
- · Knit wrist helps prevent dirt and debris from entering the alove
- Washable, resistant to chemicals, water, and ultraviolet light

PART #	LEGACY #	SIZE	QTY.
120279196	PIP16-541/XS	XS	12
120279194	PIP16-541/S	S	12
120279193	PIP16-541/M	М	12
120279192	PIP16-541/L	L	12
120279195	PIP16-541/XL	XL	12
120279197	PIP16-541/XXL	XXL	12



Color: Black Liner Material: Polykor Coating: Polyurethane Gauge: 21 ANSI Cut Level: A4 ANSI Abrasion Level: 3 ANSI Puncture Level: 2 EN 388 Rating: 3X31DX



Gauge: 13 ANSI Cut Level: A3 ANSI Abrasion Level: 5 ANSI Puncture Level: 3 Contact Heat Score: 2

XXL IRONCLAD® WORK CREW GLOVE Light Duty Use

- High performance synthetic suede palm
- breathable nylon back of hand Neoprene compression cuff
- EN 388:2003 • Thumb saddle reinforcement ▣
- Terry cloth sweat wipe

116747738 IC-IEX-HZI-XXL

100% machine washable - hang dry

PART #	LEGACY #	SIZE	QTY.
117728124	IC-WCG-S	S	1
116749980	IC-WCG-S-12	S	12
117728125	IC-WCG-M	Μ	1
116749975	IC-WCG-M-12	М	12
117728126	IC-WCG-L	L	1
116749970	IC-WCG-L-12	L	12
117728127	IC-WCG-XL	XL	1
116749986	IC-WCG-XL-12	XL	12
117728128	IC-WCG-XXL	XXL	1
116749990	IC-WCG-XXL-12	XXL	12

Mechanix Wear[®] The Original[®] Glove

- Compliance: CE 3121, EN 388/EN 420
- Durable and dexterous synthetic leather palm
- Form fitting stretch spandex top offers a second-skin fit
- Reinforced thumb, index finger and knuckle repositions vulnerable seams and improves abrasion resistance
- Adjustable wrist closure for a secure fit Machine washable

PARI #	LEGACY #	SIZE	QTY.
116730790	MCNMG-05-008	S	1
116730795	MCNMG-05-009	Μ	1
116730800	MCNMG-05-010	L	1
116730804	MCNMG-05-011	XL	1
116730809	MCNMG-05-012	XXL	1



Color: Black

Material: Synthetic Leather

ANSI Puncture Rating: 2

EN 388 Rating: 3121

Color: Black Material: Synthetic Leather EN 388 Rating: 3121X





Liner Material: Nylon, Coating: Nitrile ANSI Abrasion Level: 4

Color: Black/Gray Elastane Gauge: 15

EN 388 Rating: 4131X

JUNE 2024



Showa® 370B General Purpose Glove

- Lightweight, flexible
- Seamless knit
- Elasticated wrist cuff
- Smooth grip
- Machine washable

PART #	SIZE	QTY.
116727810	S	12
116727804	М	12
116727798	L	12
116727816	XL	12

Ansell[®] Hyflex[™] High-Vis and Cut Resistance Gloves

- Foam nitrile coating and advanced liner design: Heightened cut protection
- Cutting-edge coating technology: Abrasion resistance in high-stress zones
- Latex- and silicone-free formulation: For worker and product protection

PART #	SIZE	QTY.
117218125	7/S	12
117218126	8/M	12
117218127	9/L	12
117218128	10/XL	12
117218129	11/XXL	12

Ansell® INTERCEPT® Cut Resistant Sleeves

- INTERCEPT[™] Cut Resistance: Advanced knitwork for heightened protection
- Seamless design and various length options
- Ideal fit, daily comfort
- HPPE yarn: For protective sleeves that offer a cool, breathable feel

Cuff Style: Knitwrist without thumbslot

PART #	SIZE	QTY.
117218130	S	10
117218131	L	10

Cuff Style: Knitwrist with thumbslot

PART #	SIZE	QTY.
117218132	S	10
117218133	L	10



Color: Black/Gray Material: Nylon, seamless knit

EN 388 Rating: 4121X

Color: Orange/Yellow Liner Material: Kevlar[®], Spandex,

Stainless Steel

Coating: Nitrile Gauge: 13

ANSI Cut Level: A5

ANSI Abrasion Level: 4

EN 388 Rating: 4X42E

Coating: Nitrile

Color: Gray Liner Material: Ansell INTERCEPT" Length: 18" Gauge: 15 ANSI Cut Level: A4 EN 388 Rating: 3X42D

PU Palm Gloves

- Perfect for intricate tasks
- Maximum dexterity
- Smooth polyurethane coating for increased abrasion resistance
- Palm dipped to increase dexterity and ventilation
- 100% breathable seamless liner

PART #	LEGACY #	SIZE	QTY.
116693374	408195	М	12
116693380	408195VP	М	24
116693386	408196	L	12
116693392	408196VP	L	24
116693398	408197	XL	12
116693405	408197VP	XL	24
116693410	408198	XXL	12
116693416	408198VP	XXL	24

PART #	LEGACY #	SIZE	QTY.
116693423	408199	Μ	12
116693428	408199VP	М	24
116693435	408200	L	12
116693442	408200VP	L	24
116693447	408201	XL	12
116693453	408201VP	XL	24
116693460	408202	XXL	12
116693466	408202VP	XXL	24

PART #	LEGACY #	SIZE	QTY.
116693471	408203	Μ	12
116693479	408204	L	12
116693485	408205	XL	12
116693491	408206	XXL	12

Material: Polyester, Elastic, PU ANSI Cut Level: A1 EN 388 Rating: 3131X





Color: Black



Color: Yellow

Wells Lamont[®] Whizard[®] Handguard II Level A7 Cut Resistant Glove*

- Heavy duty knit cut resistant glove
- Combination of ultra-high strength fibers and stainless steel provides exceptional protection against cuts and slashes
- CFR 21 approved for food contact
- Ambidextrous
- Prewashed, preshrunk

SIZE	QTY.
S	1
М	1
L	1
XL	1
	S M L

*While supplies last



Color: White Material: Ultra High Strength Fibers and Stainless Steel Length: 3" Cuff for Wrist Protection Ansi Cut Level: A7

JUNE 2024

COOLING PROTECTION

EZ-Cool® Evaporative Cooling Towel

- Advanced Poly Vinyl Alcohol (PVA) material absorbs water and sweat efficiently and remains active for hours
- Natural evaporation provides a cooling sensation delivering comfort in warm environments
- Rinse the EZ-Cool[®] towel prior to use and wrap around neck, head, or wipe down other pulse points for an exceptional cooling effect
- Designed to be used over and over again; when it begins to dry out, simply rinse again
- Machine or hand washable

PART #	LEGACY #	DESCRIPTION	QTY.
116681679	403595	13" x 31"	1

Pyramex[®] Evaporative Cooling Towel

- Evaporative advanced Poly Vinyl Alcohol (PVA) material holds water without feeling heavy
- Anti-microbial treated to help prevent mold build-up and unwanted odor
- To activate, simply soak in cool water
- Reusable just reactivate
- Machine washable

PART #	QTY.	
117192787	1	

Color: Blue

Very durable and will last multiple seasons with proper Color: Blue care and normal use • Ideal for use in warm environments for protection from the stress of high temperatures, outdoor and indoor

• 35.4" L x 2" W (90cm x 5cm), 65% Polyester / 35% cotton poplin

EZ-Cool® Evaporative Mesh

Cooling Bandana

Outer fabric will be dry while the internal cooling fabric

• 100% polyester cool mesh lightweight outer fabric

• Store in clean dry cool conditions, do not store in direct sunlight

PART #	LEGACY #	QTY.
116693270	408151	1
116693273	408151-12	12

• Wear as headband or neckband

provides cooling for up to 8 hours

• Breakaway snap closure

ITD

EZ-Cool® Evaporative **Cooling Neck Wrap**

- Advanced Poly Vinyl Alcohol (PVA) material absorbs water and sweat efficiently and remains active for hours
- Natural evaporation provides a cooling sensation delivering comfort in warm environments
- Rinse prior to use and wrap around the neck for an exceptional cooling effect
- Designed to be used over and over again
- Extended cooling lasts 1 to 7 days, depending upon ambient conditions
- Machine or hand washable

PART #	LEGACY #	COLOR	QTY.
120283970	PIP393-650-B	Blue	1
120283971	PIP393-650-L	Yellow	1
120283972	PIP393-650-P	Pink	1

Color: Navy



EZ-Cool[®] Evaporative Hard Hat Cooling Pad

- Polyester and cotton blend fabric with cooling crystals
- Secures easily in hard hat with Hook & Loop
- Delivers effective cooling above suspension
- Extended cooling lasts 1 to 7 days, depending upon ambient conditions

PART # QTY. 120283980 1




Color: Blue Fabric: Poly cotton Activation: 20-30 minutes

Digital Catalog available at Catalog.AppliedMSS.com and in the Google and Android App stores.







AppliedMSS.com | 800-458-4018



