# APPLIED MSS<sup>SM</sup> SAFETY SOLUTIONS



# PERSONAL PROTECTIVE EQUIPMENT


### **HEAD PROTECTION**



# **Evolution® Deluxe Cap Style Hard Hat**

- 6-Point polyester textile suspension system offers unrivaled comfort without compromising performance
- Revolution<sup>™</sup> wheel ratchet is easy to use and creates a firm comfortable fit
- Chamlon<sup>™</sup> sweatband
- · Universal accessory slots accept virtually any competitors' accessories
- Meets ANSI/ISEA Z89.1, Type I, Class E requirements

| PART #    | LEGACY # | QTY. |
|-----------|----------|------|
| 116689910 | 407031   | 1    |





Color: White Shell: Non-Vented


WARNING: Reproductive Harm - www.P65Warnings.ca.gov



## **Evolution® Deluxe Full Brim Hard Hat**

- 6-Point suspension system with polyester textile straps offers unrivaled comfort without compromising performance
- Revolution<sup>™</sup> wheel ratchet is easy to use and creates a firm comfortable fit
- Chamlon<sup>™</sup> sweatband for maximum sweat
- Universal slots to fit various accessories
- Meets ANSI/ISEA Z89.1, Type I, Class E

| PART #    | LEGACY # | QTY. |
|-----------|----------|------|
| 116715500 | 7889415  | 1    |





WARNING: Reproductive Harm - www.P65Warnings.ca.gov.

### **EYE PROTECTION**

#### **SAF-LINE™ Classic Safety Glasses**

- Ultra lightweight
- Soft and longer temples, holds glasses in place
- All day comfort for any job site

| PART #    | LEGACY #  | QTY. |
|-----------|-----------|------|
| 116693228 | 408131    | 1    |
| 116693231 | 408131-10 | 10   |



Frames: Clear/MSSSM Blue Lens: Clear Coating: Anti-Scratch

WARNING: This product can expose you to chemicals including [Bisphenol A (BPA)], which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### SAF-LINE™ Advanced Safety Glasses

- Brow guard helps block debris
- Lower temple component soft and flexible
- Comfortable & soft rubber nosepiece

| PART #    | LEGACY #  | QTY. |
|-----------|-----------|------|
| 116693234 | 408132    | 1    |
| 116693237 | 408132-10 | 10   |



Frames: Clear/MSS<sup>SM</sup> Blue Lens: Clear Coating: Anti-Scratch

**MARNING:** This product can expose you to chemicals including [Bisphenol A (BPA)], which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### **SAF-LINE™** Pro Safety Glasses

- Polycarbonate wrap around lens
- Contoured temple tips
- Comfortable & soft rubber nosepiece

| PART #    | LEGACY #  | QTY. |
|-----------|-----------|------|
| 116693241 | 408133    | 1    |
| 116693244 | 408133-10 | 10   |



Frames: MSS<sup>SM</sup> Blue Lens: Clear Coating: Anti-Scratch

**MARNING:** This product can expose you to chemicals including [Bisphenol A (BPA)], which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.





# **Gateway** Conqueror® Safety Eyewear

- A soft, rubber nosepiece and ergonomic, contoured temple tips for all-day wearability
- Adjustable length eyewear retainer with each pair independently tested and certified by Underwriters Laboratories to meet ANSI 287.1+ and CSA Z94.3 standards



 Meets ballistic impact resistance requirements for eyewear in US Military Performance Specification MIL PRF-32432 (GL)

| PART #    | LEGACY #  | FRAME                    | LENS  | COATING  | QTY. |
|-----------|-----------|--------------------------|-------|----------|------|
| 116693252 | 408135    | Classic Camo             | Clear | Anti-Fog | 1    |
| 116693256 | 408135-10 | Classic Camo             | Clear | Anti-Fog | 10   |
| 116693247 | 408134    | Old Glory Red/White/Blue | Clear | -        | 1    |
| 116693250 | 408134-10 | Old Glory Red/White/Blue | Clear | -        | 10   |
|           |           |                          |       |          |      |



#### **Recon™ Safety Glasses**

- Lightweight, rimless design provides all day comfort
- Flexible bayonet temples contain rubber pads for a secure, non-slip fit
- Adjustable rubber nosepiece provides a comfortable fit
- 9 base curve lens
- Meets ANSI Z87.1+ and CSA Z94.3

| PART #    | LEGACY #  | QTY. |
|-----------|-----------|------|
| 116689731 | 406905    | 1    |
| 116689734 | 406905-12 | 12   |



Frames: Clear Lens: Clear Coating: Anti-Scratch/ Anti-Reflective



MARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov.



## Zenon Z-Lyte™ Safety Glasses

- Weighing in at 16 grams, Z-Lyte brings in a new era of lightweight safety eyewear
- Modern wraparound lens style will look great on a variety of users
- Thin temple provides a secure fit without pressure

| PART #    | LEGACY #  | COATING               | QTY. |
|-----------|-----------|-----------------------|------|
| 116689749 | 406908    | Anti-Scratch          | 1    |
| 116689751 | 406908-12 | Anti-Scratch          | 12   |
| 116689755 | 406909    | Anti-Scratch/Anti-Fog | 1    |
| 116689758 | 406909-12 | Anti-Scratch/Anti-Fog | 12   |



Frames: Clear Lens: Clear



**MARNING:** Reproductive Harm - www.P65Warnings.ca.gov.

#### SteelyBlues® Metal Detectable Safety Glasses

- Blue steel and translucent blue temples for enhanced identification and sleek styling
- Provides end-to-end, component-level metal detectability in a lightweight, comfortable design
- Ergonomic, lightweight design (weighs less than one ounce) for all day
- fX3<sup>™</sup> premium anti-fog lens provides superior fogging resistance
- Meets ANSI Z87.1+, CSA Z94.3 and the ballistic impact resistance requirements for eyewear in US Military
- Performance Specification MIL PRF-32432 (GL)

| PART #    | TEMPLE           | LENS  | COATING              | QTY. |
|-----------|------------------|-------|----------------------|------|
| 119472211 | Translucent Blue | Clear | fX3 Premium Anti-Fog | 1    |
| 119472212 | Translucent Blue | Clear | fX3 Premium Anti-Fog | 10   |

# **Checklite CL1 Series Safety Glasses**

- Good for everyday use or a new visitor spec
- Smaller frame sized to fit smaller faces
- Exclusive Duramass® scratch resistant coating
- Rugged polycarbonate lens filters 99.9% of harmful U.V. rays
- Lightweight construction good for long term wear
- ANSI Z87+ and CSA Z94.3


|           |              | -          |               |          |      |
|-----------|--------------|------------|---------------|----------|------|
| PART #    | LEGACY #     | FRAME      | LENS          | COATING  | QTY. |
| 116743423 | MCRCL110AF-1 | Clear      | Clear         | Anti-Fog | 1    |
| 116743418 | MCRCL110AF   | Clear      | Clear         | Anti-Fog | 12   |
| 116743439 | MCRCL112AF-1 | Gray       | Gray          | Anti-Fog | 1    |
| 116743434 | MCRCL112AF   | Gray       | Gray          | Anti-Fog | 12   |
| 116743448 | MCRCL113-1   | Light Blue | Light Blue    | -        | 1    |
| 116743444 | MCRCL113     | Light Blue | Light Blue    | -        | 12   |
| 116743460 | MCRCL114-1   | Amber      | Amber         | -        | 1    |
| 116743453 | MCRCL114     | Amber      | Amber         | -        | 12   |
| 102282461 | MCRCL117     | Smoke      | Silver Mirror | -        | 12   |

#### Kleen View® Lens Cleaning Towelettes

- Anti-fog, anti-static and individually wrapped towelettes that help extend the life of eye wear
- 100 moistened towelettes/box

| PART #    | QTY. |
|-----------|------|
| 118376079 | 1    |
| 118376080 | 10   |





### **HEARING PROTECTION**

### **MOLDEX Mellows** Disposable Earplugs

- Extra-soft, low-pressure foam for comfort and fit
- Tapered shape for easy insertion and removal
- Non-irritating smooth surface
- High visibility color makes compliance checks quick and easy
- Shaped to fit even very small ear canals
- 100% PVC-free

| PART #    | LEGACY # | DESCRIPTION          | QTY.     |
|-----------|----------|----------------------|----------|
| 116758486 | MOL6820  | Disposable, Uncorded | 200 Pair |
| 116758491 | MOL6840  | Disposable, Corded   | 100 Pair |



| Color: Orange |  |
|---------------|--|
| VIRR · 30 dR  |  |

# Mega Bullet™ Disposable Soft Foam Earplugs

- Consistent cellular structure for optimal expansion recovery time for a custom, uniform fit
- Smooth closed cell outer layer that prevents debris build-up
- Soft and comfortable PowerSoft<sup>™</sup> foam supports all day comfort

| PART #    | LEGACY # | DESCRIPTION          | QTY.     |
|-----------|----------|----------------------|----------|
| 116689712 | 406897   | Disposable, Uncorded | 200 Pair |
| 116689715 | 406898   | Disposable, Corded   | 100 Pair |



| Color: Orange |
|---------------|
| NRR: 32 dB    |

Color: Blue

NRR: 32 dB



### **Disposable Earplugs**

- Soft, slow recovery foam and contoured shape molds easily to the ear canal for all day comfort
- The contours follow the shape of the ear canal which means less pressure at the smallest diameter of the ear canal
- Independently tested to ANSI S3.19-1974
- 100% PVC-free

| PART #    | LEGACY # | DESCRIPTION          | QTY.     |
|-----------|----------|----------------------|----------|
| 116758496 | MOL6870  | Disposable, Uncorded | 200 Pair |
| 116758511 | MOL6970  | Disposable, Corded   | 100 Pair |



NRR: 33 dB

# Food Pro Bullet™ Metal Detectable Foam Earplugs

- Consistent cellular structure for optimal expansion recovery time for a custom, uniform fit
- Smooth closed cell outer layer that prevents debris build-up
- Soft and comfortable PowerSoft™ foam supports long term comfort
- Metal detectable (blue) recommended for use in the food industry

| PART #    | LEGACY # | DESCRIPTION        | QTY.     |
|-----------|----------|--------------------|----------|
| 116683837 | 404785   | Disposable, Corded | 100 Pair |



## Honeywell

### Laser Lite® Earplugs

- Vibrant colors make protection visible
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth soil-resistant closed-cell foam skin prevents dirt build-up

| PART #    | LEGACY # | DESCRIPTION          | QTY.     |
|-----------|----------|----------------------|----------|
| 112695130 | HOWLL-1  | Disposable, Uncorded | 200 Pair |
| 116746583 | HOWLL-30 | Disposable, Corded   | 100 Pair |



Color: Magenta/Yellow NRR: 32 dB

## Tri-Flange™ Earplugs P3000

- Triple-flanged, pre-molded earplugs fit comfortably in a wide range of ear sizes
- Soft, flexible flanges conform to the shape of the ear canal for comfortable noise reduction
- No need to roll earplugs before fitting so the tips stay clean even if hands are dirty

| PART #    | LEGACY # | DESCRIPTION               | QTY. |
|-----------|----------|---------------------------|------|
| 116692364 | 407899   | Reusable, No Roll, Corded | 100  |

Color: Yellow NRR: 26 dB

**3M** E-A-R™ UltraFit™ Reusable Earplugs

- Carrying case keeps earplugs clean and accessible for re-use
- Proprietary, pre-molded, triple-flange earplug design inserts easily
- Soft polymer is washable and reusable



| Color: Yell | NC |
|-------------|----|
| NRR: 25 dl  | 3  |

| PART #    | LEGACY #    | DESCRIPTION                           | QTY.     |
|-----------|-------------|---------------------------------------|----------|
| 102640961 | AEA340-4001 | Reusable, No roll, Uncorded with case | 50 Pair  |
| 102640962 | AEA340-4002 | Reusable, No roll, Corded with case   | 50 Pair  |
| 102651871 | AEA340-4003 | Reusable, No roll, Uncorded           | 100 Pair |
| 102642936 | AEA340-4004 | Reusable, No roll, Corded             | 100 Pair |

#### **SOUNDDECISION™** Ear Muff

- An economical option for limited hearing protection budgets
- Three-position, dielectric earmuff
- Fully adjustable for improved fit
- Lightweight with padded headband and soft ear cushions for comfort
- Independently tested to a 25 NRR


| PART #    | TYPE          | QTY. |
|-----------|---------------|------|
| 119210757 | Over-the-Head | 1    |
| 119210758 | Over-the-Head | 6    |



Color: Green NRR: 25 dB

# DID YOU KNOW

Mining, construction, and manufacturing industries have the highest prevalence of workers with hearing loss. 34% of workers exposed to hazardous levels of noise report not utilizing hearing protection. Of the more than 20,000 workplace hearing loss cases each year, most of them result in permanent hearing loss. A basic set of earplugs are able to lower noise levels by up to 30 dB, providing adequate noise reduction for most hazardous sounds. With so many cases of permanent hearing loss stemming from workplace noise, protecting your ears with earplugs is a simple and effective way to safeguard your hearing health.



### RESPIRATORY PROTECTION

#### **MOLDEX** 2200N95 Series Particulate Respirator

- Dura-Mesh® shell resists collapsing in heat and humidity
- Molded nose bridge seals easily without a metal noseband
- Facepiece is naturally contoured without pressure points
- Straps are securely attached so they don't break at the seal

| PART #    | LEGACY #   | VALVE TYPE | SIZE | QTY. |
|-----------|------------|------------|------|------|
| 112290631 | MOL2200N95 | None       | M/L  | 10   |

### **MOLDEX** 2300N95 Series Particulate Respirators with Exhale Valve

- 100% PVC-Free
- Exhale valve lets workers breathe easy and stay cool
- Soft, foam nose cushion for added comfort
- Softspun® lining for increased comfort and durability
- Suitable for most welding applications
- Meets heat and flame resistance in accordance with ANSI/ISEA 110.2003 Section 7.11.1

| PART #    | LEGACY #   | VALVE TYPE | SIZE | QTY. |
|-----------|------------|------------|------|------|
| 112100589 | MOL2300N95 | Button     | M/L  | 10   |

#### **MOLDEX** 2400N95 Plus Relief from Organic Vapors Particulate Respirator with Exhale Valve

- Added carbon layer helps filter out nuisance levels of ozone and organic vapors (less than OSHA PEL) Can be used against most welding fumes (free of oil)
- Added carbon layer helps relieve against nuisance
- ozone and organic vapors
- Exhale valve lets workers breathe easy and stay cool
- Exclusive Dura-Mesh® shell resists collapsing in heat and humidity
- Molded nose bridge with soft foam nose cushion increases comfort
- Facepiece is naturally contoured without pressure points
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1
- 100% PVC-Free

| PART #    | LEGACY #   | VALVE TYPE | SIZE | QTY. |
|-----------|------------|------------|------|------|
| 113356304 | MOL2400N95 | Button     | M/L  | 10   |

### **MOLDEX** 2700N95 Series Particulate Respirators with HandyStrap® & Ventex® Valve

- HandyStrap®, with buckle, allows mask to hang around the user's neck when not in use
- Cloth HandyStrap feels cool and comfortable
- Ventex<sup>®</sup> valve lets the hot air out faster so workers breathe easier and stay cooler
- Dura-Mesh® shell resists collapsing in heat and humidity
- Softspun<sup>®</sup> lining for increased comfort and durability
- 100% PVC-Free

| PART #    | LEGACY #   | VALVE TYPE          | SIZE | QTY. |
|-----------|------------|---------------------|------|------|
| 113414093 | MOL2700N95 | Ventex <sup>®</sup> | M/L  | 10   |

## Particulate Respirators 8511 N95

- Designed to help provide comfortable, reliable worker protection
- NIOSH Approved N95, TC-84A-1299
- One-way valve offers easy exhalation and cool, dry comfort
- M-noseclip adjusts easily for fewer pressure points and greater comfort and reduces the potential for eyewear fogging

| PART #    | LEGACY # | VALVE TYPE   | QTY. |
|-----------|----------|--------------|------|
| 116760963 | PA91431  | Exhale Valve | 10   |
| 116760968 | PA91432  | Exhale Valve | 80   |

## Particulate Respirator 8247, R95 with Nuisance Level\* Organic Vapor

- Helps provide comfortable protection against certain oil and non-oil based particles, including those present with nuisance levels of organic vapors such as solvents, degreasers and resins
- Disposable, elastic strap

| PART #    | LEGACY # | VALVE TYPE | QTY. |
|-----------|----------|------------|------|
| 116699586 | AEA8247  | None       | 20   |

\*Nuisance levels refer to concentrations not exceeding OSHA PEL/OEL or applicable exposure limits, whichever is lower.

#### TruAir® N95 Disposable Respirators

- Traditional design is widely accepted, helping increase compliance, while answering the call for cost-effective disposable respiratory protection
- NIOSH approved N95 protection
- 95% filtration against aerosols free of oils below Permissible Exposure Limit (PEL)
- Large, molded shell helps to reduce breathing resistance, minimizing end-user fatique
- Adjustable metal nosepiece provides a safe, secure fit
- Non-latex, elastic head straps

| PART #    | LEGACY #   | VALVE TYPE | QTY. |
|-----------|------------|------------|------|
| 116681167 | 403274     | Unvented   | 20   |
| 116681171 | 403274-240 | Unvented   | 240  |
| 116681176 | 403277     | Vented     | 10   |
| 116681180 | 403277-120 | Vented     | 120  |







## APPLIED MSS™ **SAFETY SOLUTIONS**

**ENVIRONMENTAL PROTECTION** 

## COOLING PROTECTION

# **EZ-Cool® Evaporative Cooling Towel**

 Advanced Poly Vinyl Alcohol (PVA) material absorbs water and sweat efficiently and remains active for hours

 Natural evaporation provides a cooling sensation delivering comfort in warm environments

 Rinse the EZ-Cool® towel prior to use and wrap around neck, head, or wipe down other pulse points for an exceptional cooling effect

• Designed to be used over and over again; when it begins to dry out, simply rinse again

Machine or hand washable

| PART #    | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|-------------|------|
| 116681679 | 403595   | 13" x 31"   | 1    |

#### **Pyramex® Evaporative Cooling Towel**

- Evaporative advanced Poly Vinyl Alcohol (PVA) material holds water without feeling heavy
- Anti-microbial treated to help prevent mold build-up and unwanted odor
- To activate, simply soak in cool water
- Reusable just reactivate
- Machine washable

| PART #    | QTY. |
|-----------|------|
| 117192787 | 1    |



Color: Blue





#### **EZ-Cool® Evaporative Mesh Cooling Bandana**

- 100% polyester cool mesh lightweight outer fabric
- Wear as headband or neckband
- Breakaway snap closure
- Outer fabric will be dry while the internal cooling fabric provides cooling for up to 8 hours
- Very durable and will last multiple seasons with proper care and normal use
- Ideal for use in warm environments for protection from the stress of high temperatures, outdoor and indoor
- 35.4" L x 2" W (90cm x 5cm), 65% Polyester / 35% cotton poplin
- Store in clean dry cool conditions, do not store in direct sunlight

| PART #   | LEGACY #  | QTY. |
|----------|-----------|------|
| 16693270 | 408151    | 1    |
| 16693273 | 408151-12 | 12   |





Color: Navy

#### **EZ-Cool® Evaporative Cooling Neck Wrap**

- Advanced Poly Vinyl Alcohol (PVA) material absorbs water and sweat efficiently and remains active for hours
- Natural evaporation provides a cooling sensation delivering comfort in warm environments
- Rinse prior to use and wrap around the neck for an exceptional cooling effect
- Designed to be used over and over again
- Extended cooling lasts 1 to 7 days, depending upon ambient conditions
- Machine or hand washable

| PART #    | LEGACY #     | COLOR  | QTY. |
|-----------|--------------|--------|------|
| 120283970 | PIP393-650-B | Blue   | 1    |
| 120283971 | PIP393-650-L | Yellow | 1    |
| 120283972 | PIP393-650-P | Pink   | 1    |





## EZ-Cool® Evaporative Hard Hat Cooling Pad

- Polyester and cotton blend fabric with cooling crystals
- Secures easily in hard hat with Hook & Loop
- Delivers effective cooling above suspension
- Extended cooling lasts 1 to 7 days, depending upon ambient conditions

| PART #    | QTY. |
|-----------|------|
| 120283980 | 1    |



Color: Blue Fabric: Poly cotton Activation: 20-30 minutes

Digital Catalog available at Catalog. Applied MSS. com and in the Google and Android App stores.



**Every Small Part Counts** We're here to manage them for you!®

AppliedMSS.com | 800-458-4018

