
INDUSTRIAL CUTTING TOOLS

Applied Maintenance Supplies and Solutions®

2024

ABRASIVES • DRILLS & TAPS • EXTRACTORS & REAMERS • FILES & BURS • LUBRICANTS • SAFETY ACCESSORIES





CUTTING TOOLS

Applied Maintenance Supplies & Solutions[®] (Applied MSSSM) is a leading value-added National Distributor of C-Class Maintenance, Repair, Operating and Production (MROP) supplies specializing in fasteners, cutting tools, paints and chemicals, electrical, transportation, fluid flow, safety, janitorial and other industrial products serving customers in virtually every industry. The company delivers shop solutions through its high quality products and Vendor Managed Inventory (VMI) service.

Applied MSSSM is also able to effectively leverage the resources and benefits of being part of the Applied Industrial Technologies (NYSE: AIT) organization with locations across the United States, Puerto Rico, Canada, Mexico, Australia and New Zealand.

PRODUCT INTEGRITY IS THE CORE OF APPLIED MAINTENANCE SUPPLIES & SOLUTIONS®



CONTENTS PAGE

| Jobber Length Drills | |
|--|-------|
| Mechanics Length Drills | 6 |
| Specialty Drills | 6-7 |
| Extractors / Reamers | 8 |
| Taps / Thread Repair | 9 |
| Eye Protection | 9 |
| Combination Drill-Taps | 10 |
| Hole Saws | 11 |
| Saw Blades / Files / Burs / Mounted Points | 12 |
| Hand Protection | 12 |
| Abrasives | 13-14 |
| Lubricants | 15 |
| Miscellaneous Tools | 15 |

HOW TO ORDER:

By Phone:

Our USA Customer Service Department is open Monday through Friday, 7:30 a.m. to 5:30 p.m. EST



By Website: www.Appliedmss.com

By Fax: 24 hours a day, 7 days a week 1-866-802-2739

Corporate Headquarters: 14790 Foltz Parkway

Strongsville, Ohio 44149



DRILL COMPARISON







KWIK CUT[®] ALL PURPOSE JOBBER LENGTH DRILL

- Self-centering 135° split point adds stability to drilling
- Accurate, tight tolerance, perfectly round holes
- The lower torque creates less heat and extends drill life
- Unique radial split flute design provides greater chip clearance for faster drilling
- Superior torsional stiffness and resistance to breaking
- Flats on shank provide easy positive chuck grip on sizes 3/16" 1/2"
- Made of high-molybdenum steel



| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|--|------|
| 101737237 | 00608 | Kwik Cut Drill Set 1/16-1/4 13 Pc. | 1 |
| 101735115 | 00609 | Kwik Cut Drill Set 1/16-1/2 15 Pc. | 1 |
| 101744146 | 00610 | Kwik Cut Drill Set 1/16-3/8 21 Pc. | 1 |
| 101510294 | 00611 | Kwik Cut Drill Set 1/16-1/2 29 Pc. | 1 |
| 116698426 | A00131 | Kwik Cut Jobber Drill Set 29 Pc. Orange Box | 1 |
| 101735114 | 00612 | Kwik Cut Wire Size #1-60 Pc. Set | 1 |
| 101735113 | 00613 | Kwik Cut Letter Set A-Z 26 Pc. | 1 |
| 101745246 | 00626 | Kwik Cut Wire Gauge Drill #61-80 Set | 1 |
| 101744147 | 00629 | Kwik Cut Master Drill Set 115 Pc. | 1 |
| 101743471 | 00635 | Kwik Cut Industrial Asst 64 Pc. Fract W/Index | 1 |
| 102733017 | 00181 | Kwik Cut Industrial Drill Package | 1 |
| 102698841 | 00643 | Kwik Cut Drill Industrial Starter Assortment | 1 |
| 102691914 | 00644 | Kwik Cut Drill Drawer Mod 1 W/Cab | 1 |
| 102678167 | 00645 | Kwik Cut Drill Drawer Mod 1 | 1 |
| 102685634 | 00646 | Kwik Cut Drill Drawer Mod 2 W/Cab | 1 |
| 102697506 | 00647 | Kwik Cut Drill Drawer Mod 2 | 1 |
| 102697505 | 00648 | Kwik Cut Drill Drawer Mod 3 W/Cab | 1 |
| 102685635 | 00649 | Kwik Cut Drill Drawer Mod 3 | 1 |
| 102702394 | 100391 | Kwik Cut Metric Set 1.0mm-6.0mm x .5mm | 1 |
| 102677266 | 100392 | Kwik Cut Metric Set 1.0mm-10.0mm x .5mm | 1 |
| 101752695 | 100393 | Kwik Cut Metric Set 1.0mm-13.0mm x .5mm | 1 |
| 102747897 | 00335 | Kwik Cut Industrial Metric Drill Master Assortment | 1 |
| | | | |

KWIK CUT® CRYO-NITRIDE DRILL BIT

- Cryogenic treatment creates a more uniform "grain" structure by transforming retained austenite into martensite reducing brittleness
- Modifies the carbon micro-structure through precipitation of carbides increasing resistance to wear
- Nitride process diffuses nitrogen into the surface to create a case hardening surface resulting in superior tool life and exceptional corrosion resistance
- Self-centering 135° split point adds stability to drilling



| PART # | LEGACY # | DESCRIPTION | QTY. |
|------------|----------|---|------|
| 114714862* | A00160 | Kwik Cut Cryo-Nitride Set 1/16-1/4 13 Pc. | 1 |
| 114069868 | A00161 | Kwik Cut Cryo-Nitride Set 1/16-1/2 15 Pc. | 1 |
| 114069871 | A00162 | Kwik Cut Cryo-Nitride Set 1/16-1/2 29 Pc. | 1 |
| 116698453 | A00163 | Kwik Cut Cryo-Nitride Plastic 1/16-1/2 15 Pc. | 1 |
| 113860301 | A00164 | Kwik Cut Cryo-Nitride Plastic 1/16-1/2 29 Pc. | 1 |



MAGNAFORCE® FOR DEEP HOLES

- Made of high-molybdenum steel and heat treated to provide superior cutting performance in deep hole drilling
- 135° split point adds stability to drilling
- Special parabolic flute design allows for fast chip removal while it dissipates heat for cooler drilling
- Gold surface treated to offer maximum lubricity for less friction
- Flats on shank sizes 3/16" and up

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|--|------|
| 101753761 | 00697 | MagnaForce 13 Pc. Index | 1 |
| 101750339 | 00698 | MagnaForce 15 Pc. Index | 1 |
| 101511239 | 00699 | MagnaForce 29 Pc. Index | 1 |
| 101510388 | 00652 | MagnaForce Industrial Asst 64 Pc. Frac W/Index | 1 |
| 102698842 | 00653 | MagnaForce Drill Fractional Maintenance Module | 1 |
| 102691915 | 00654 | MagnaForce Drill Drawer Mod 1 W/Cab | 1 |
| 102678168 | 00655 | MagnaForce Drill Drawer Mod 1 | 1 |
| 102685457 | 00656 | MagnaForce Drill Drawer Mod 2 W/Cab | 1 |
| 102686610 | 00657 | MagnaForce Drill Drawer Mod 2 | 1 |
| 102678737 | 00658 | MagnaForce Drill Drawer Mod 3 W/Cab | 1 |
| 102684381 | 00659 | MagnaForce Drill Drawer Mod 3 | 1 |
| 110488500 | A00083 | MagnaForce M42 Cobalt 25 Pc. Set 1-13mm | 1 |

* While supplies last



JOBBER LENGTH DRILLS

SPX-135

- Manufactured from a premium grade of molybdenum high speed steel providing superior strength & toughness in a wide variety of materials resulting in longer tool life
- NOMO treatment (nitride on margin only) increases surface hardness & holds a sharp edge longer increasing tool life
- 135° split point adds stability to drilling
- Unique web geometry penetrates even "hard to machine" materials (stainless steel, titanium alloys)



WARNING: Cancer & reproductive harm -See P65Warnings.ca.gov for more info.

| PART # | LEGACY # | DESCRIPTION | OTY. |
|------------|----------|--|------|
| 106269238* | PA90079 | SPX-135 Heavy Duty 13 Pc. Drill Bit Assortment | 1 |
| 111504670* | PA91313 | SPX-135 Heavy Duty Drill Bit 13 Pc. Set | 1 |
| 106288091 | PA90690 | SPX-135 Fractional Drill Bit Set 15 Pc. | 1 |
| 106300100 | PA90078 | SPX-135 Fractional Drill Bit Set 29 Pc. | 1 |
| 111504677 | PA90680 | SPX-135 Twister Drill Set 29 Pc. | 1 |
| 106258933 | PA7662 | SPX-135 Drill Bit Cabinet Assortment | 1 |
| 117382783 | - | SPX-135 Drill Drawer Module 1 | 1 |
| 117382784 | - | SPX-135 Drill Drawer Module 1 W/Cabinet | 1 |
| 117382785 | - | SPX-135 Drill Drawer Module 2 | 1 |
| 117382786 | - | SPX-135 Drill Drawer Module 2 W/Cabinet | 1 |
| 117382787 | - | SPX-135 Drill Drawer Module 3 | 1 |
| 117382788 | - | SPX-135 Drill Drawer Module 3 W/Cabinet | 1 |

KWIK CUT® STAINLESS DRILL

Engineered to drill perfectly concentric holes in most types and grades of stainless steel. Stainless steel is not very hard, but it's very "stringy." If drilling stainless steel gives you problems... this drill bit will solve them!


- Special high helix design for fast, easy chip removal
- 135° split point
- Surface treated for greater resistance to rust and corrosion

| PART # LEGACY # DESCRIPTION | | | |
|-----------------------------|----------|-------------|------|
| PART # | LEGACY # | DESCRIPTION | QTY. |
| 404726424 | 170121 | | 1 |

| | | | . |
|-----------|--------|-------------------------------------|----------|
| 101736434 | 178131 | Stainless Drill Set 15 Pc. 1/16-1/2 | 1 |
| 101511620 | 178130 | Stainless Drill Set 29 Pc. 1/16-1/2 | 1 |

KWIK CUT® COBALT DRILL

- Made to exacting aircraft specifications NAS 907 Type J
- Have 135° split point so they start easier on curved surfaces
- Contain 8% cobalt
- Standard helix, thick web construction to reduce breakage
- Run Kwik Cut[®] cobalt drills at lower speeds and heavier feeds for best results
- For use when higher heat is generated during drilling: e.g. on higher tensile tougher materials, free machining stainless steel and titanium
- Jobber length



- Austenitic stainless steels
- Crankshafts
- Titanium
- Tool steels
- Tough, stringy metals
- Work hardening steel

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---|------|
| 102690256 | 00618 | Kwik Cut Cobalt Drill Set 13 Pc. Fractional | 1 |
| 102678166 | 00617 | Kwik Cut Cobalt Drill Set 15 Pc. Fractional | 1 |
| 102685456 | 00616 | Kwik Cut Cobalt Drill Set 21 Pc. Fractional | 1 |
| 102686609 | 00615 | Kwik Cut Cobalt Drill Set 29 Pc. Fractional | 1 |
| 102676742 | 00619 | Kwik Cut Cobalt Drill Set 60 Pc. Wire 1-60 | 1 |
| 102684926 | 170133 | Kwik Cut Cobalt Drill 46 Pc. Cabinet Assortment | 1 |

BM7-135 ALL PURPOSE DRILL

- High speed steel construction
- Heavy duty
- 135° split point
- Recommended for drilling a wide range of materials including mild to medium tensile strength steel

WARNING: Cancer & reproductive harm -See P65Warnings.ca.gov for more info.

| PART # | LEGACY # | DESCRIPTION | QTY. |
|------------|----------|--|------|
| 110263449* | PA90081 | BM7-135 13 Pc. Drill Assortment 1/16-1/4 | 1 |
| 106282719 | PA90083 | BM7-135 Fractional Drill Set 15 Pc. | 1 |
| 106244807 | PA90080 | BM7-135 Fractional Drill Set 29 Pc. | 1 |
| 106273329 | PA90082 | BM7-135 Wire Gauge Drill Set 60 Pc. | 1 |
| 110694411 | PA7289 | BM7-135 Master Drill Assortment 115 Pc. | 1 |
| 110694529 | PA7661 | BM7-135 Fractional Assortment 56 Pc. | 1 |

GENERAL PURPOSE

- 118° general purpose point
- Black oxide treatment
- Designed for general purpose drilling under a wide range of operating conditions into various materials
 WARNING: Cancer & reproductive harm -

See P65Warnings.ca.gov for more info.



| PART # | LEGACY # | DESCRIPTION |
|-----------|----------|--|
| 110617848 | PA91435 | General Purpose 118° Fractional Drill Set 29 Pc. |

See our Master Catalog for additional information at Catalog.AppliedMSS.com



1

MECHANICS / SPECIALTY DRILLS

KWIK CUT[®] HURRICANE[™] DRILLS

- Mechanic's length
- Flats on shank reduce slippage in chuck
- Unique stepped tip reduces heat generation and tool wear for longer life
- Can be used to enlarge existing holes
- Split point eliminates need for a center punch
- Can be used in steel, sheet metal, brass and acrylics
- Made in the USA

| PART # | DESCRIPTION | QTY. |
|-----------|--|------|
| 118230941 | Kwik Cut [®] Hurricane 29 Pc. Metal Index | 1 |
| 118230942 | Kwik Cut [®] Hurricane 29 Pc. Plastic Index | 1 |

GRP-135 MECHANICS LENGTH DRILL

- Made of high-molybdenum steel heat treated at 2,185°F then nitrocarburize finished at 950° to be measurably harder than high speed steel
- · Bright and black finish
- 135° split point for fast penetration and accurate starting without a center punch
- Flats on shank give positive chuck grip (flats are on 3/16 and above sizes)



- Specifically designed for hand held drills
- Recommended for use in work hardening grades of stainless steel and other hard metal drilling applications

WARNING: Cancer & reproductive harm - See P65Warnings.ca.gov for more info.

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---|------|
| 106297130 | PA91736 | GRP-135 Mechanics Drill Set 15 Pc. | 1 |
| 106262963 | PA91834 | GRP-135 Mechanics Length 15 Pc. Starter Set | 1 |
| 106284969 | PA92446 | GRP-135 Mechanics Length Reduced Shank 21 Pc. | 1 |
| 106266460 | PA91765 | GRP-135 Mechanics Drill Set 29 Pc. | 1 |
| 110659519 | PA90682 | GRP-135 Twister Drill Set 29 Pc. | 1 |

MAINTENANCE DRILL

- High speed steel
- 135° split point for fast penetration and accurate starting without a center punch
- Maintenance drills are shorter than jobber length drills which means a sturdier drill with less flexing
- Perfect for portable drilling applications
- The black surface treatment prevents chip welding and increases abrasion resistance

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---------------------------------------|------|
| 103884235 | 401059 | Maintenance Drill Set 1/16-1/4 13 Pc. | 1 |
| 103882919 | 401060 | Maintenance Drill Set 1/16-1/2 15 Pc. | 1 |
| 103920475 | 401061 | Maintenance Drill Set 1/16-3/8 21 Pc. | 1 |
| 103876663 | 401062 | Maintenance Drill Set 1/16-1/2 29 Pc. | 1 |

KWIK CUT® REDUCED SHANK DRILL

- 1/2" shank drills for diameters larger than 1/2", suited for portable drilling
- 3/8" and 1/4" shank drills for use in chucks with limited capacity
- 135° split point for fast penetration and accurate starting (sizes larger than 1" have a 118° split point)
- 3 flats on shank allow for strong positive chuck grip
- Nitro-carburized flute for extra wear resistance
- 6" overall length

| PART # | LEGACY # | DESCRIPTION | QTY. |
|------------|----------|---|------|
| 102690271 | 100260 | 1/2" Reduced Shank Set 4 Pc. 9/16, 5/8, 3/4, 1" | 1 |
| 101737715 | 00622 | 1/2" Reduced Shank Set 8 Pc. 9/16-1" x 16ths | 1 |
| 102775275* | 00684 | 3/8" Reduced Shank Set 29 Pc. | 1 |
| 102703190* | 170481 | 1/4" Reduced Shank Set 8 Pc. 9/32-1/2 x 32nds | 1 |
| 113494717 | A00106 | 1/2" Reduced Shank Set 8 Pc. M14-M21 x 1mm | 1 |
| 113494719 | A00107 | 1/2" Reduced Shank Set 4 Pc. M22-M25 x 1mm | 1 |

KWIK CUT[®] HURRICANE[™] REDUCED SHANK DRILLS

- Unique tip geometry reduces heat generation & increases tool life
- Easily enlarges existing holes without damaging the point
- Split-point design gives accurate starting and is self-centering eliminating the need for the use of a center punch
- Ideal for hard steel, sheet metal, brass, & acrylics
- Flats on shank reduces chuck slippage
- 6" overall length
- Made in USA

PART # DESCRIPTION OTY. 119983671 Kwik Cut Hurricane S & D Set 4 Pc. 9/16, 5/8, 3/4, 1" 1 119983672 Kwik Cut Hurricane S & D Set 8 Pc. 9/16 - 1" by 16ths 1

KWIK CUT® STUB LENGTH DRILL

- Also known as screw machine drill
- 135° split point
- Shorter length and increased rigidity keeps breakage at a minimum



| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---|------|
| 101782477 | 106481 | Kwik Cut Stub Length Drills 29 Pc. 1/16-1/2 | 1 |



While supplies last

See our Master Catalog for additional information at Catalog.AppliedMSS.com



Every Small Part Counts We're here to manage them for you!®





SPECIALTY DRILLS



KWIK CUT® STEP DRILL

- Kwik Cut® step drills offer multiple hole sizes in one tool
- Special moly alloy steel

PART #

- Gold finish for increased lubricity
- Two flute construction for clean, accurate holes

LEGACY #

101404474 116175

• Useful in bolt removing operations

- 135° split point eliminates center punching and walking • Special gold surface treatment for maximum lubricity
- Heavy duty construction of high molybdenum tool steel allows drilling of hard and tough materials like broken studs, set screws, etc.
- · Left hand spiral can loosen bolts, eliminating the need for an extractor

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---|------|
| 101745373 | 91617 | Kwik Cut Left Hand Drill Set 8 Pc. 1/16-1/2 | 1 |
| 110508891 | PA90369 | Kwik Cut Left Hand Drill Set 7 Pc. 1/8-1/2 | 1 |

KWIK CUT® KWIK CHANGE DRILL

- 1/4" hex shank allows guick tool changes, saving time
- Designed for hand held drills
- · Hi-Moly tool steel
- 135° split point for fast penetration and accurate starting

| and the second se | | | |
|---|----------|---------------------------------|------|
| PART # | LEGACY # | DESCRIPTION | QTY. |
| 102699449 | 119904 | Kwik Cut Kwik Change 12 Pc. Set | 1 |
| 101736430 | 119905 | Kwik Cut Kwik Change 16 Pc. Set | 1 |

KWIK CUT[™] 6-FLUTE 82° HSS COUNTERSINK

- Packed in round plastic case
- Chatter-less 6-flute design reduces vibration
- Multiple cutting edges extend tool life
- 82° countersink produces ideal profile for majority of flat head fasteners

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|--|------|
| 114726682 | 407830 | Kwik Cut 6-Flute Countersink 4 Pc. Set | 1 |



* While supplies last

See our Master Catalog for additional information at Catalog.AppliedMSS.com

KWIK CUT® VIPER® DRILL

- High performance carbide drills for cutting through extremely hard metals
- Specifically designed for use in drill press operations
- Viper[®] Drills will outperform high-speed steel (HSS) twist drills when drilling hardened, high alloy ferrous metals up to Rockwell C scale 65
- Viper[®] Drills are constructed with a high-grade solid carbide metal from end-to-end

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|-----------------------|------|
| 101404473 | 00962 | Viper Drill 5 Pc. Set | 1 |

KWIK CUT® DOUBLE ACTION MASONRY DRILL

- Produces outstanding results in both rotary and hammer applications
- Serrated-edge carbide tip penetrates faster
- Works for tile, hard metal, plastic, wood, marble, granite and masonry
- WARNING: This product can expose you to chemicals including Cobalt which is known to the state of California to cause cancer.

| For more information go to www.P65Warnings.ca.gov for more info. | | | | |
|--|----------|--|------|--|
| PART # | LEGACY # | DESCRIPTION | QTY. | |
| 101468827 | 00950 | Kwik Cut Masonry Drill Tray Assortment | 1 | |
| 101735936 | 00950KP | Kwik Cut Masonry Drill Bit Kwik Pak | 1 | |

KWIK CUT® FAST SPIRAL MASONRY DRILL

- Carbide tip ensures fast penetration with minimal pressure
- · Suitable for concrete, brick, tile and plaster
- For rotary use only

WARNING: This product can expose you to chemicals including Cobalt which is known to the state of California to cause cancer. For more information go to www.P65Warnings.ca.gov for more info.

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|--|------|
| 101745496 | PA91568 | Kwik Cut Fast Spiral Masonry Drill 5 Pc. Set | 1 |

KWIK CUT® SDS+ HAMMER DRILL

- Carbide tipped for faster, smoother drilling
- For hammer drill use

WARNING: This product can expose you to chemicals including Cobalt which is known to the state of California to cause cancer. For more information go to www.P65Warnings.ca.gov for more info

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---|------|
| 106262884 | PA92100 | Kwik Cut SDS 7 Pc. Drill Set 3/16 - 1/2 | 1 |

KWIK CUT® WOOD SPADE DRILL

- Can bore both straight and angled holes
- Drill point and cutting edges can be
- resharpened
- 1/4 hex power shank for quick changes
- Manufactured from carbon steel

| PART # | LEGACY # | DESCRIPTION | QTY. |
|------------|----------|------------------------------------|------|
| 102703231* | 105900 | Kwik Cut Wood Spade Bit 6 Pc. Set | 1 |
| 102716384 | 105901 | Kwik Cut Wood Spade Bit 13 Pc. Set | 1 |





EXTRACTORS / REAMERS

HURRICANE[™] EXTRACTOR

- Removes broken screws, bolts, studs and pipes
- Unique tip geometry on left hand drill reduces heat generation and improves cutting tool life
- Spiral flute extractors are made of heat-treated tool steel



DUAL ACTION SCREW EXTRACTOR

- Can be turned in clockwise or counterclockwise direction, making it easier to work in tight spaces
- · Easy removal even when threaded product is flush or broken below the surface
- · Double-edged, tapered flute for a non-slip engagement
- Made of chrome-vanadium hardened steel to resist breaking and rounding out
- Hex shank design allows the use of standard wrenches or hex sockets to grip extractor
- Extracts without damaging internal threads

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|--|------|
| 101511024 | 00624 | Dual Action Screw Extractor/LH Drill Asst. | 1 |
| 102014912 | 00624KP | Dual Action Screw Extractor/LH Drill KP | 1 |
| 101735810 | 111854 | Dual Action Screw Extractor 5 Pc. Set | 1 |

KWIK CUT[™] BOLT REMOVER

• For guick and easy removal of the toughest broken bolts and screws 3/32" to 5/8" in diameter



| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|----------------------------------|------|
| 102703228 | 91607 | Kwik Cut Bolt Remover 8 Pc. Set | 1 |
| 101744918 | 91618 | Kwik Cut Bolt Remover 10 Pc. Set | 1 |

KWIK CUT[™] EXTRACTOR

• Quick and easy way to remove broken screws, pipes, bolts and studs

| | ù | 1 | ł | ł. | í. |
|---|----|----|----|----|----|
| | ų. | 4 | 1 | 1 | |
| 8 | | Т, | 1- | | |

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---|------|
| 111476531 | PA91883 | Straight Flute/LH Premium Extractor Set | 1 |
| 102703673 | 90683 | Straight Flute Screw Extractor Set #1-5 | 1 |
| 101736135 | 90677 | Spiral Flute Screw Extractor Set #1-6 | 1 |
| 110624115 | PA90361 | Spiral Flute Screw Extractor 5 Pc. Set #1-5 | 1 |
| 110267370 | PA90378 | Spiral Flute Screw Extractor 4 Pc. Set #6-9 | 1 |

KWIK CUT[™] SQUARE EXTRACTOR/LH STUB

• Ideal for removing broken studs in tight areas

DESCRIPTION

- · Left hand spiral drills often remove bolt without need for an extractor
- Square extractor won't chew up the object being removed
- · Left hand drills have three flats on shank
- Made in the USA

117348440

PART #

8

ULTRA DRILL-OUT POWER EXTRACTOR

- Combination drill and extractor removes broken bolts in one easy step
- Manufactured in the U.S. with high quality steel, heat-treated for strength
- Special left-hand cutting drill tip with a self-centering point, eliminating the struggle to find the center of the bolt - even on jagged breaks
- For use in a standard, variable speed reversible hand drill

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|--|------|
| 102684936 | 55015 | Ultra Drill-Out Power Extractor 4 Pc. Set 1/4, 5/16, 3/8, 1/2 | 1 |
| 101736784 | 55012 | Ultra Drill-Out Micro Extractor 4 Pc. Set #6, #8, #10, 1/4 | 1 |

KWIK CUT[™] HURRICANE[™] REAMER

- Reamers are for use in enlarging previously formed or drilled holes
- Mechanics length reamers are specially designed for use on structural steel plates in truck frames, rail cars, bridges and
- pressure vessels
- Reamer has 3 flats on shank to prevent the bit from slipping
- Unique tip geometry on drill reduces heat generation and improves cutting tool life
- Drill has split point for accurate starting and is self-centering eliminating the need for a center punch
- Comes in a lightweight, impact-resistant case

• Made in the USA

- DESCRIPTION
- Kwik Cut Hurricane Reamer Set

KWIK CUT[™] STEP REAMER

- Accurately starts, enlarges and deburrs holes in materials up to 1/2" thick
- enlargement steps

DESCRIPTION PART

| 117327165 | Kwik Cut Step Reamer 3 Pc. Set |
|-----------|--------------------------------|
| | |

117327166 Kwik Cut Step Reamer 2 Pc. Set

KWIK CUT[™] STRAIGHT SHANK **CAR REAMER**

- Fast left hand spiral, right hand cut
- Three flats on shank prevent slippage in chuck
- High tungsten tool steel for long lasting performance

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---|------|
| 101735808 | 119108 | Kwik Cut Straight Shank Car Reamer, 4 Pc. Set | 1 |
| A | | | |

WARNING: Cancer & reproductive harm - See P65Warnings.ca.gov for more info.

KWIK CUT[™] HOLE ENLARGER

- Designed to enlarge existing holes by as much as 160% of the hole's diameter
- Four flute design eliminates out of round holes
- Short flute construction is easier to use in confined areas

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|----------------------------------|------|
| 101752684 | 55006 | Kwik Cut Hole Enlarger 8 Pc. Set | 1 |

See our Master Catalog for additional information at Catalog.AppliedMSS.com









QTY.

1





QTY.

1







90° notch point starts easily

- · Gold finish enhances lubricity and reduces friction
- Each reamer has five hole Made in the USA

Kwik Cut Square Extractor/LH Stub 10 Pc. Set





| | 1 |
|-------|-----|
| | |
| SA F. | 1.1 |

| COLON. | | | 1 |
|--------|---|----|-----|
| T M H | 1 | 10 | 181 |

TAPS / THREAD REPAIR

KWIK CUT® SPIRAL POINT TAPS

Engineered to outperform ordinary taps even in the most difficult maintenance applications.

- Made from hi-tungsten and high-molybdenum steel
- Spiral point construction
- Precision ground threads
- Superior strength and quality
- Drives chips ahead of the tap, permitting higher speeds and faster cutting with less torque

WARNING: This product contains chemicals known to the State of California to cause cancer, and birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov.

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---|------|
| 101736104 | 00453 | Kwik Cut Spiral Pt. Tap & Drill UNC 6-32-1/2-13 | 1 |
| 101745233 | 00464 | Kwik Cut Spiral Pt. Tap & Drill Set M2.5-M12 | 1 |
| 116698395 | A00105KP | Kwik Cut Spiral Pt. Tap Set 6 Pc. M6-M12 | 1 |
| 101782463 | 172045KP | Kwik Cut Spiral Pt. Tap Set 5 Pc. 1/4-1/2 UNC | 1 |
| 101448553 | 00729 | Kwik Cut Tap & Drill Industrial Assortment | 1 |
| 105599349 | 00730 | Kwik Cut Tap & Drill Maintenance Assortment | 1 |
| 105600565 | 00731 | Kwik Cut Tap & Drill Mod 1 W/Cab | 1 |
| 102698843 | 00732 | Kwik Cut Tap & Drill Mod 1 | 1 |
| 105600868 | 00733 | Kwik Cut Tap & Drill Mod 2 W/Cab | 1 |
| 102685636 | 00734 | Kwik Cut Tap & Drill Mod 2 | 1 |

TAP & DRILL SETS

- Kwik-Cut[®] taps and drills can be used on a variety of materials including stainless and alloy steels
- Sets contain 9 commonly used taps with correct sized drills
- Small size index fits into tool boxes or drawers
- Eliminates time lost searching for proper drill and tap combinations
- Steel index

MARNING: Cancer & reproductive harm -See P65Warnings.ca.gov for more info.

| | 5 5 | | |
|-----------|----------|--|------|
| PART # | LEGACY # | DESCRIPTION | QTY. |
| 101510048 | 91556 | Tap & Drill Set UNC 6-32 To 1/2-13 | 1 |
| 101511619 | 91557 | Tap & Drill Set UNF 6-40 To 1/2-20 | 1 |
| 101737550 | 106405 | Kwik Cut Metric Tap & Drill 18 Pc. Asst. | 1 |
| 101742590 | 106406 | Kwik Cut Tap 10 Pc. Set UNC & UNF | 1 |

TAP & DIE SETS



WARNING: Cancer & reproductive harm -See P65Warnings.ca.gov for more info.

| | 5 5 | A COLORADO DE C | |
|-----------|----------|---|------|
| PART # | LEGACY # | DESCRIPTION | QTY. |
| 102702915 | 178001 | Tap & Die Set 12 Pc. UNC | 1 |
| 102719915 | 178004 | Tap & Die Set 40 Pc. UNC & UNF | 1 |
| 102719917 | 178005 | Tap & Die Set 58 Pc. UNC & UNF | 1 |
| 102678647 | 90433 | Metric Tap & Die 40 Pc. Set | 1 |

THREAD REPAIR KITS

- Repair damaged threads quickly
- Rockwell hardness of 58 RC
- Blades easily adapt to any thread pitch
- Blades automatically fit into the thread grooves eliminating guesswork
- Works on all UNC, UNF, NPT, metric threads
- Repair internal and external threads

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---------------------------------|------|
| 102715440 | 00963 | Fix-A-Thread Int/Ext Kit Small | 1 |
| 102691345 | 00965 | Fix-A-Thread Int/Ext Kit Large | 1 |
| 102668512 | 00966 | Fix-A-Thread External Kit Small | 1 |
| 102679874 | 00967 | Fix-A-Thread External Kit Large | 1 |
| 102669927 | 00968 | Fix-A-Thread Internal Kit Small | 1 |
| 102670905 | 00969 | Fix-A-Thread Internal Kit Large | 1 |

EYE PROTECTION

SAF-LINE CLASSIC SAFETY GLASSES

- Ultra-light weight
- All day comfort for any job site
- Soft and longer temples, holds glasses in place



| PART # | LEGACY # | FRAME | LENS | COATING | QTY. |
|-----------|-----------|------------------------------|-------|--------------|------|
| 116693228 | 408131 | Clear/MSS SM Blue | Clear | Anti-Scratch | 1 |
| 116693231 | 408131-10 | Clear/MSS [™] Blue | Clear | Anti-Scratch | 10 |
| | | | | | |

WARNING: This product can expose you to chemicals including [Bisphenol A (BPA)], which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SAF-LINE ADVANCED SAFETY GLASSES

- Brow guard helps block debris
- Comfortable & soft rubber nosepiece
- Lower temple component soft and flexible



| PART # | LEGACY # | FRAME | LENS | COATING | QTY. |
|-----------|-----------|------------------------------|-------|--------------|------|
| 116693234 | 408132 | Clear/MSS [™] Blue | Clear | Anti-Scratch | 1 |
| 116693237 | 408132-10 | Clear/MSS SM Blue | Clear | Anti-Scratch | 10 |
| | | | | | |

WARNING: This product can expose you to chemicals including [Bisphenol A (BPA)], which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SAF-LINE PRO SAFETY GLASSES

- Polycarbonate wrap around lens
- Comfortable & soft rubber nosepiece
- Contoured temple tips



| PART # | LEGACY # | FRAME | LENS | COATING | QTY. |
|-----------|-----------|------------------------|-------|--------------|------|
| 116693241 | 408133 | MSS SM Blue | Clear | Anti-Scratch | 1 |
| 116693244 | 408133-10 | MSS SM Blue | Clear | Anti-Scratch | 10 |
| | | | | | |

WARNING: This product can expose you to chemicals including [Bisphenol A (BPA)], which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.





COMBINATION DRILL-TAPS



KWIK CUT[™] COMBO DRILL-TAP

• Single operation drilling and tapping saves time and money

- High-Moly tool steel for longer tool life
- Gold surface treatment provides maximum lubricity
- Split point for precision and accuracy
- Flats on shank



| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|--------------------------------------|------|
| 116686665 | 405815 | Kwik Cut Metric Drill-Tap 5 Pc. Set | 1 |
| 116686670 | 405816 | Kwik Cut Combo Drill-Tap 7 Pc. Set C | 1 |
| 116686672 | 405817 | Kwik Cut Combo Drill-Tap 7 Pc. Set F | 1 |

COMBINATION DRILL & TAP

A single tool that produces a precision tapped hole in one smooth, two-stage operation.

- Manufactured from the highest quality high speed steel
- Blue steam oxide finish for longer life
- For use with virtually any type of material
- Easily resharpenable 118° drill point
- Advanced flute angle for easier use



| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|--|------|
| 101736093 | 177940 | Drill-Tap 6 Pc. Set 4-40-12-24 | 1 |
| 101744138 | 177941 | Drill-Tap 5 Pc. Set UNF 1/4-1/2 | 1 |
| 101735107 | 177942 | Drill-Tap 5 Pc. Set UNC 1/4-1/2 | 1 |
| 101743470 | 91642 | Metric Drill-Tap Asst 5 Pc. M4 - M10 | 1 |
| 102698726 | 00443 | Master Combo Drill-Tap Assortment 4-40-1/2 | 1 |
| 102691912 | 00444 | Combo Drill-Tap Shop Assortment 1/4-1/2 | 1 |




See our Master Catalog for additional information at Catalog.AppliedMSS.com



Every Small Part Counts We're here to manage them for you!®

HOLE SAWS



KWIK CUT® C/T HOLE SAW

- Perfect portable tool for the electrical, plumbing, mechanical, or MRO professional
- Cost effective alternative to bi-metal hole saws, twist drills, and annular cutters
- For cutting steel plate, iron, aluminum, copper, cast iron, stainless steel, FRP (i.e fiberglass) and plastics up to 1" thick in diameters from 9/16" through 4-1/2"
- Sizes 9/16" to 3" have 3/8" shank, 3-1/4" to 4-1/2" have 1/2" shank

WARNING: Cancer & reproductive harm -See P65Warnings.ca.gov for more info.

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|--|------|
| 102697536 | 122010 | Kwik Cut C/T Maint 5 Pc. Set 5/8-1-1/8 | 1 |
| 102678985 | 122011 | Kwik Cut C/T Bolt Clearance 5 Pc. Set | 1 |
| 101735951 | 122012 | Kwik Cut C/T Electrical 5 Pc. Set | 1 |
| 102703188 | 122013 | Kwik Cut C/T Plumber 6 Pc. Set | 1 |
| 102702213 | 122015 | Kwik Cut C/T Plumber 12 Pc. Set | 1 |
| 102703189 | 122016 | Kwik Cut C/T Electrical 10 Pc. Set | 1 |
| 101782480 | 122017 | Kwik Cut C/T Mechanical 12 Pc. Set | 1 |

SHARK BITS[™] HOLE CUTTER

- M2 high speed steel produces clean, burr-free holes
- For use in hand held drills with 3/8" or 1/2" chucks, and in air-feed drill spindles



| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---|------|
| 106242892 | PA33100 | Shark Bits Metal Hole Cutter Kit | 1 |
| 106249169 | PA33114 | Shark Bits Electricians & Fabricators Kit | 1 |

KWIK CUT® BI-METAL HOLE SAW

- Separate arbor type hole saw
- Variable pitch for faster cutting and longer tool life



| PART # | LEGACY # | DESCRIPTION | QTY. |
|------------|----------|--|------|
| 102703186 | 118559 | Electrician's Hole Saw 6 Pc. Kit | 1 |
| 101745251* | 118560 | Plumber's Hole Saw 6 Pc. Kit | 1 |
| 102698751 | 118561 | Industrial Hole Saw 9 Pc. Kit | 1 |
| 102678979 | 118562 | Master Electrician Hole Saw 11 Pc. Kit | 1 |

* While supplies last





SAW BLADES / FILES / BURS / MOUNTED POINTS



WIRE BRUSHES

- Multi-thread nut · Laser marked, powder coated hubs
- Protection guards
- High performance brass coated steel & cable crimped wire



WARNING: This product can expose you to chemicals including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65Wamings.ca.gov.

| LEGACY # | DESCRIPTION | QTY. |
|----------|------------------------------------|---|
| 113302 | Wire Brush Combo Kit - Light Duty | 1 |
| 113303 | Wire Brush Combo Kit - Heavy Duty | 1 |
| 00742 | Jaz Brush Gen Maint Assortment | 1 |
| 00743 | Jaz Brush Truck Garage Assortment | 1 |
| 00744 | Jaz Brush Welding Assortment | 1 |
| | 113302 113303 00742 00743 | 113302Wire Brush Combo Kit - Light Duty113303Wire Brush Combo Kit - Heavy Duty00742Jaz Brush Gen Maint Assortment00743Jaz Brush Truck Garage Assortment |

HAND PROTECTION

THE ORIGINAL® GLOVE

- Durable and dexterous synthetic leather palm · Form fitting stretch Spandex top offers a secondskin fit
- Reinforced thumb, index finger and knuckle repositions vulnerable seams and improves abrasion resistance
- Adjustable wrist closure for a secure fit Machine washable

| | | 5 | | |
|-----------|------------------|-------|------|------|
| PART # | LEGACY # | COLOR | SIZE | QTY. |
| 116730790 | MCNMG-05-008-S | Black | S | 1 |
| 116730795 | MCNMG-05-009-M | Black | М | 1 |
| 116730800 | MCNMG-05-010-L | Black | L | 1 |
| 116730804 | MCNMG-05-011-XL | Black | XL | 1 |
| 116730809 | MCNMG-05-012-XXL | Black | 2XL | 1 |

GREAT WHITE[®] 3GX[™] GLOVES

- Compliance: EN388 4442, ANSI Cut Level A3, ANSI Cut Level 3
- Dyneema® Diamond blended shell
- Polyurethane coated palm for abrasion resistance
- · Continuous knit wrist helps prevent dirt and debris from entering the glove

APPLICATIONS: Electronics, glass cutting, metal handling, parts assembly, construction and general duty Compliance:

ANSI Cut Level 3

| # 322-S-1 | COLOR White | SIZE | QTY. |
|--------------|--|---|--|
| | White | S | 4 |
| | | 5 | |
| 322-S | White | S | 12 |
| 322-M-1 | White | М | 1 |
| 322-M | White | М | 12 |
| 322-L-1 | White | L | 1 |
| 322-L | White | L | 12 |
| 322-XL-1 | White | XL | 1 |
| 322-XL | White | XL | 12 |
| | 822-M-1 822-M 822-L-1 822-L 822-XL-1 822-XL-1 822-XL | B22-MWhiteB22-L-1WhiteB22-LWhiteB22-XL-1White | B22-MWhiteMB22-L-1WhiteLB22-LWhiteLB22-LWhiteXLB22-XLWhiteXL |

See our Master Catalog for additional information at Catalog.AppliedMSS.com



PA368

12

Compliance: EN388 Rating 3121





KWIK CUT® ABRASIVE WHEEL/DOUBLE DEEP DRAWER ASSORTMENT

Drawer includes 4-1/2" diameter of:

- Depressed center combination wheels type 27
- Super thin depressed center cut-off wheels type 27
- Depressed center grinding wheels type 27
- Super thin angle grinder cut-off wheels type 1
- High performance flap discs type 27

PART # LEGACY #

DESCRIPTION Kwik Cut Abrasive Wheel Assortment 101706831 00741

3M[®] ROLOC[™] **BRISTLE ASSORTMENT**

- Clean and prepare surfaces before and after welding
- Easily removes paint, adhesives, and other coatings
- Use for finishing and blending

| PART # | LEGACY # | DESCRIPTION | QTY |
|-----------|----------|-----------------------------|-----|
| 102728793 | 00426 | 3M Roloc Bristle Assortment | 1 |

3M[®] SCOTCH-BRITE[™] ROLOC[™] SURFACE CONDITIONING DISC ASSORTMENT – 2" & 3" SIZES

• Discs leave a surface suitable for painting or coating



• Use for removal of light rust, oxides and coatings

| PART # | LEGACY # | DESCRIPTION | Q |
|-----------|----------|---|---|
| 101748360 | 00439 | 3M 2" & 3" Conditioning Disc Assortment | 1 |

3M[®] 2" SANDING DISC ASSORTMENT

- General purpose grinding, blending and deburring on metal
- Aluminum oxide on a yf wt. cloth backing



PART # LEGACY #

DESCRIPTION

102714020 00919 3M 2" Sanding Disc Assortment

3M[®] 3" SANDING DISC **ASSORTMENT** Includes:

• 3" discs in 24 to 240 grits

• Back up pads

| | Y 1 | ° / | | Sec. |
|---|-------|------|---|------|
| 6 | 0 - 6 | 6 | 1 | |
| - | - 0 | 6 60 | | |
| | 1 m | | _ | |

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|-------------------------------|------|
| 102730197 | 00920 | 3M 3" Sanding Disc Assortment | 1 |

3M[®] 2" & 3" SANDING DISC ASSORTMENT Includes:

• 2" and 3" discs in 36, 50, 80 and 120 grits



2" SURFACE PREP/DEBURRING & LAMINATED DISC ASSORTMENT

Laminated Discs

OTY.

1

QTY.

OTY.

1

- Aluminum oxide 2-ply discs
- Metal to metal type S attachment ensures a safe, durable fit
- Change discs by simply twisting to unlock the disc from the holder
- For general purpose grinding, deburring and blending on ferrous metals

Surface Conditioning Discs

- Tough, resin reinforced nylon fibers with abrasive grain
 - Resists loading, providing a consistent finish; eliminates edge fraying and grain shedding

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---|------|
| 110694025 | PA504 | 2 " Surface Prep & Grinding Disc Assortment | 1 |

ALUMINUM OXIDE MOUNTED FLAP WHEELS ASSORTMENT

- Designed especially for deburring, finishing, smoothing, and polishing of metal surfaces
- · For small parts, narrow curves, tubes, cavities, recesses, and small concave and convex areas
- For use in portable tools, flexible shaft machines, drill presses, and lathes

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|----------------------------------|------|
| 110694027 | PA508 | Flap Wheel Assortment 1", 2", 3" | 1 |

VIEW OUR DIGITAL CATALOG ONLINE AT

Catalog.AppliedMSS.com or download our Applied MSSSM Product Catalog App for your Apple[®], or Android® device.

Also available from the AppStore[®] on iTunes[®], and the Google Playstore[®].









KWIK CUT® ABRASIVE ASSORTMENTS

ASSORTMENT FEATURES:

- Available with or without abrasive cabinet **114728201** (B01123)
- Comes in 7/8 or 5/8-11 hub versions

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---|------|
| 116698518 | A00198 | Kwik Cut Abrasive 5/8-11 Assortment W/O Cab | 1 |
| 116698522 | A00199 | Kwik Cut Abrasive 5/8-11 Assortment W/ Cab | 1 |
| 116698528 | A00200 | Kwik Cut Abrasive 7/8 Assortment W/O Cab | 1 |
| 116382583 | A00201 | Kwik Cut Abrasive 7/8 Assortment W/ Cab | 1 |



ASSORTMENT CONTENTS:

Assortments

116698518 (A00198) and 116698522 (A00199)

| LEGACY # | DESCRIPTION | QTY. |
|----------|--|--|
| PA97395 | Cut Off Wheel T1 4-1/2 x .045 x 7/8 60 Grit | 5 |
| PA97399 | Cut Off Wheel T27 4-1/2 x .045 x 7/8 60 Grit | 5 |
| PA97389 | Cut Off Wheel T1 3 x .045 x 3/8 60 Grit | 5 |
| 123850-5 | Flap Disc T27 4-1/2 x 5/8-11 40 Grit | 5 |
| 123852-5 | Flap Disc T27 4-1/2 x 5/8-11 80 Grit | 5 |
| 10424 | Aluminum Oxide Shop Roll 80 Grit 1-1/2 x 50 yds | 1 |
| 10422 | Aluminum Oxide Shop Roll 120 Grit 1-1/2 x 50 yds | 1 |
| PA97817 | Hand Pad 6 x 9 Maroon Very Fine | 20 |
| 400008 | Clean & Strip Disc T27 4-1/2 x 5/8-11 | 5 |
| PA97375 | Grinding Wheel 4-1/2 x .178 x 5/8-11 36 Grit | 5 |
| | PA97395 PA97399 PA97389 123850-5 123852-5 10424 10422 PA97817 400008 | PA97395 Cut Off Wheel T1 4-1/2 x .045 x 7/8 60 Grit PA97399 Cut Off Wheel T27 4-1/2 x .045 x 7/8 60 Grit PA97399 Cut Off Wheel T1 3 x .045 x 3/8 60 Grit PA97389 Cut Off Wheel T1 3 x .045 x 3/8 60 Grit 123850-5 Flap Disc T27 4-1/2 x 5/8-11 40 Grit 123852-5 Flap Disc T27 4-1/2 x 5/8-11 80 Grit 10424 Aluminum Oxide Shop Roll 80 Grit 1-1/2 x 50 yds 10422 Aluminum Oxide Shop Roll 120 Grit 1-1/2 x 50 yds PA97817 Hand Pad 6 x 9 Maroon Very Fine 400008 Clean & Strip Disc T27 4-1/2 x 5/8-11 |

Assortments

116698528 (A00200) and 116382583 (A00201)

| PART # | LEGACY # | DESCRIPTION | OTY. |
|-----------|----------|--|------|
| FANT# | LEGACT # | DESCRIPTION | QΠ. |
| 116761961 | PA97395 | Cut Off Wheel T1 4-1/2 x .045 x 7/8 60 Grit | 5 |
| 116761998 | PA97399 | Cut Off Wheel T27 4-1/2 x .045 x 7/8 60 Grit | 5 |
| 116761937 | PA97389 | Cut Off Wheel T1 3 x .045 x 3/8 60 Grit | 5 |
| 116681533 | 105752-5 | Flap Disc T27 4-1/2 x 7/8 40 Grit | 5 |
| 101742598 | 105754-5 | Flap Disc T27 4-1/2 x 7/8 80 Grit | 5 |
| 101767364 | 10424 | Aluminum Oxide Shop Roll 80 Grit 1-1/2 x 50 yds | 1 |
| 101768247 | 10422 | Aluminum Oxide Shop Roll 120 Grit 1-1/2 x 50 yds | 1 |
| 116762685 | PA97817 | Hand Pad 6 x 9 Maroon Very Fine | 20 |
| 101736072 | 123870-5 | Clean & Strip Disc T27 4-1/2 x 7/8 | 5 |
| 116761900 | PA97374 | Grinding Wheel 4-1/2 x .178 x 7/8 36 Grit | 5 |



KWIK CUT® METAL WORKING LUBRICANT

- Unique formula makes Kwik-Cut[®] more slippery than most cutting
- oils at least doubles the life of the cutting tool • Tremendous adhesion and anti-bonding properties virtually eliminate
- dangerous and costly tool breakage caused by chip welding
 Ideal for use on all types of metal including alloy steels, aluminum, stainless and exotics (titanium, Hastelloy, etc.)
- Nonstaining contains no sulphur or carbon tetrachloride

• A must for all cutting, grinding, tapping and drilling applications

- 100% petroleum based contains no water
- Safe and odorless contains no 1, 1, 1-Trichloroethane

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---------------|------|
| 116678489 | 401552 | 4 Fl. Oz. | 1 |
| 116678492 | 401552-6 | 4 Fl. Oz. | 6 |
| 102050507 | 190154 | 16 Fl. Oz. | 1 |
| 116698921 | 190520 | 5 Gallon Pail | 1 |
| | | | |

AERO-CHEM® HEAVY DUTY CUTTING OIL

- Excellent cutting fluid that provides for maximum cooling, efficient lubrication and minimum wear
- Imparts a temporary rust inhibiting coating on tooling and freshly cut metal surfaces
- Eliminates heat at its source and ensures cleaner, smoother cuts
- Reduces friction to increase cutting speed, reduce waste and prolong tool life

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|------------|--------------------|------|
| 106522361 | PA82857 | 12.75 oz. net. wt. | 1 |
| 116756660 | PA82857-6 | 12.75 oz. net. wt. | 6 |
| 116756654 | PA82857-12 | 12.75 oz. net. wt. | 12 |
| 113807717 | PA82857-24 | 12.75 oz. net. wt. | 24 |

ANCHORLUBE ALL-PURPOSE METALWORKING COMPOUND

Kwik-Cut

- A smooth, green semi-paste (consistency may vary with temperature)
- Its melting point is between 75°F 80°F (24°C 27°C)
- May also be used on non-ferrous metals such as brass and aluminum
 A clean lubricant that contains no petroleum, chlorine, or sulfur, and is a water-based soap, maintaining a clean work area with no oily surfaces

USES: Drilling, tapping, sawing, spot facing, counter-boring, milling, fly-cutting, seat forming, engraving, broaching, drawing, piercing, punching, hole extruding and many others

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|---|------|
| 106242268 | PA88526 | 8oz. (236ml) Bottle | 1 |
| A | | and a second a second and a factor of the second and the second and the second and the second and the second as | |

WARNING: This product can expose you to chemicals including crystalline silica, quartz, which is [are] known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

AERO-CHEM[®] HEAVY DUTY CUTTING TOOL COOLANT

- This foaming cutting tool coolant lubricates cutting or machining carbon alloys, stainless steel, chrome steel, copper, aluminum, magnesium and bronze
- Can be used as a cutting oil to cool and lubricate parts during metal working operations
- Use on farm equipment, sports equipment, industrial equipment, marine and auto equipment

APPLICATIONS: Farms, oil rigs and refineries, bottling plants, dairies, paper mills, cotton gins, air conditioning, industrial plants, textile plants, lumber mills, cement plants and automotive/motorcycle/marine repair

| DESCRIPTION | QTY. |
|----------------------------|----------------------------|
| 20 oz. can/16 oz. net. wt. | 1 |
| 20 oz. can/16 oz. net. wt. | 12 |
| | 20 oz. can/16 oz. net. wt. |

WARNING: This product can expose you to chemicals including Cumene, which is known to the State of California to cause cancer. For more information go to: www.P65Wamings.ca.gov.

MISCELLANEOUS TOOLS

DRILL GAUGE



| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|-----------------------------------|------|
| 102678032 | 100469 | Fractional Drill Gauge 1/16 - 1/2 | 1 |
| 102678975 | 100470 | Metric Drill Gauge 1mm - 13mm | 1 |

ROTOMAG MAGNETIC PICK-UP TOOL RMX7

- Fastest and safest way to clean metal chips from a work area
- Picks up metal shavings with ease

| PART # | LEGACY # | DESCRIPTION | QTY | |
|-----------|----------|----------------------------------|-----|--|
| 101744005 | 107136 | 15-3/4"L, 1" dia., Weight 17 oz. | 1 | |

APPLIED MSSSM TOOL BAG

- Tan/black with logo600 denier polyester tool bag with
- wide zippered opening
- Detachable padded shoulder strap

| PART # | LEGACY # | DESCRIPTION | QTY. |
|-----------|----------|-----------------|------|
| 112130166 | 7802517 | 18" x 11" x 11" | 1 |







Small Parts Causing Big Problems?™

A well-organized parts area for consumable items can save a company thousands of dollars a year in the reduction of downtime and time spent chasing parts off-site while improving overall shop productivity. There can be many challenges in trying to accomplish this on your own. At Applied Maintenance Supplies & Solutions[®], we understand and we're here to help.

Applied MSS^{5M} specializes in the identification, organization, replenishment and supply of all the major categories of consumable maintenance parts used in your daily operations. Our goal is to provide quality products, and help you increase productivity through our service, dedication and commitment.

Every Small Part Counts We're here to manage them for you!®



AppliedMSS.com | 800-458-4018



Distribution Centers: Strongsville, OH – Lithia Springs, GA – Fontana, CA – Agawam, MA



DISCLAIMER: The above content is provided by the supplier. Applied does not guarantee the accuracy or timeliness of the content. The above content is provided "AS IS", AND ANY AND ALL EXPRESS AND IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS ARE HEREBY EXCLUDED. All warranties, if any, are solely from the supplier.