

— SERVING INDUSTRY SINCE 1948 —

MRO SHOP ESSENTIALS

Product Selection for Any Shop



APPLIED

Maintenance Supplies & Solutions®

MRO SHOP ESSENTIALS

TRANSPORTATION

- Hose Clamps
- Fuses
- Bulbs
- Wheel Weights



SHOP SUPPLIES

- GFCI Cords
- Lighting
- Batteries
- Brushes



SAFETY

- Bandages, Gloves
- Eye Protection
- Hearing Protection



PAINTS/ CHEMICALS

- Lubricants
- Degreasers
- Cleaners
- Paints



FITTINGS, HOSE & TUBING

- Hydraulic Fittings
- Malleable Fittings
- Brass Fittings
- Copper Sweat Fittings



ASSORTMENTS

- Fasteners
- Electrical
- Cutting Tools
- Fittings
- Transportation





ELECTRICAL

- Wire
- Terminals
- Conduit
- Cable Ties



VENDING

- Safety Products
- Gloves
- Abrasives
- Batteries



CUTTING TOOLS

- Drill Bits
- Taps
- Extractors
- Hole Saws



FASTENERS

- Nuts
- Bolts
- Screws
- Anchors



SPILL STATION

- Pads
- Rolls
- Socks
- Hazmat



MRO SHOP ESSENTIALS

10.9 Metric Starter Assortment

- Includes 40 hole bin with stand
- Class 10.9 high strength
- Equivalent to Grade 8
- Zinc plated to resist rust and corrosion



PART #	LEGACY #	QTY.
116767206	SE105301	30 Items, 2,150 Total Pieces*

8.8 Metric Starter Assortment

- Includes 40 hole bin with stand
- Equivalent to Grade 5
- Primarily for use in non-European metric applications
- Zinc plated to resist rust and corrosion



PART #	LEGACY #	QTY.
116767202	SE105299	32 Items, 2,685 Total Pieces*

Grade 8 USS Starter Assortment

- Includes 40 hole bin with stand
- Tensile strength 150,000 PSI minimum (SAE Grade 8)
- Conforms to SAE J429 material and mechanical properties
- Product dimensions are to ASME B18.2.1
- Yellow zinc dichromate plated



PART #	LEGACY #	QTY.
116767197	SE105295	30 Items, 2,670 Total Pieces*

Grade 5 USS Starter Assortment

- Includes 40 hole bin with stand
- Manufactured from SAE approved C-1038 steel
- Double-heat treated for greater strength
- Exceeds SAE Grade 5 specifications
- Uni-Zinc plated to resist rust and corrosion
- Conforms to SAE J425 and Mil Spec Mil-DTL-1222J



PART #	LEGACY #	QTY.
116767192	SE105289	30 Items, 2,670 Total Pieces*

18/8 Stainless Steel Starter Assortment

- Includes 40 hole bin with stand
- Superior corrosion resistance
- 75,000 - 80,000 PSI average tensile strength



PART #	LEGACY #	QTY.
120233626	SE105303	36 Items, 2,050 Total Pieces*

Kwik Cut® Super Premium Fractional Drills Industrial Drill Master Assortment

- Includes heavy-duty 3-drawer cabinet
- Sizes 1/16" - 1/2" by 64th's



PART #	LEGACY #	QTY.
116767182	SE00635	29 Sizes, 64 Total Pieces*

Kwik Cut® Drill Set

- Self centering 135° split point eliminates walking
- Accurate, tight tolerance, perfectly round holes
- The lower torque creates less heat and extends drill life
- Manufactured from special high-molybdenum steel
- Sizes 1/16" - 1/2" by 64th's



PART #	LEGACY #	QTY.
116767178	SE00611	29 Piece Set*

Kwik Cut® Spiral Point Tap & Drill Industrial Assortment

- 5-drawer cabinet
- 2 metal drill & tap indexes



PART #	LEGACY #	QTY.
120233627	SE00729	26 Sizes, 46 Total Pieces

Kwik Cut® Spiral Point Taps			Kwik Cut® Premium Quality Drills		
PART #	DIA.	QTY.	PART #	DIA.	QTY.
101511612	6-32	2	101752705	#36	2
101510282	8-32	2	101745822	#29	2
101468816	10-24	2	101747158	#25	2
101396259	10-32	2	101744172	#21	2
101514895	12-24	2	102700245	#16	2
101510283	1/4-20	4	101736128	#7	4
101510042	1/4-28	1	101736790	#3	1
101404469	5/16-18	2	110724411	F	2
101511716	5/16-24	1	110742997	I	1
101510377	3/8-16	2	101396260	5/16	2
101510378	3/8-24	1	101738513	Q	1
101510044	1/2-13	1	101397195	27/64	1
101510285	1/2-20	1	101510382	29/64	1



WARNING: This product contains chemicals known to the State of California to cause cancer, and birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov.

Kwik-Cut™ Metal Working Lubricant

- Unique formula doubles the life of the cutting tool
- Tremendous adhesion and anti-bonding properties virtually eliminates costly tool breakage caused by chip welding
- Ideal for use on all types of metal including alloy steels, aluminum, stainless and exotics (Titanium, Hastelloy, etc.)
- Nonstaining – contains no sulfur or carbon tetrachloride
- A must for all cutting, grinding, tapping and drilling applications
- 100% petroleum based – contains no water




PART #	LEGACY #	SIZE	QTY.
116767216	SE401552	4 fl. oz. Bottle	1
116767220	SE401552-6	4 fl. oz. Bottle	6
116767211	SE190154	16 fl. oz. Bottle	1

*See MSS catalog for all components in assortments

MasterLink® Seal Crimp Butt Connector Assortment

- Includes a partially adjustable compartment drawer
- 4 slots, 9 dividers



PART #	LEGACY #	QTY.
120233620	SE102156	5 Items, 225 Total Pieces*

MasterLink® Seal Crimp Basic Assortment

- Includes 32-compartment drawer



PART #	LEGACY #	QTY.
120233621	SE00756	21 Items, 255 Total Pieces*

MasterLink® Seal Crimp Master Assortment

- Includes 32-compartment drawer



PART #	LEGACY #	QTY.
120233622	SE102155	28 Items, 340 Total Pieces*

Fuses ATM – ATC – Maxi

- Includes 32-compartment drawer



PART #	LEGACY #	QTY.
120233625	SEPA203	28 Items, 141 Total Pieces*

Black Nylon Cable Tie Assortment

- Includes horizontal 6-compartment drawer



PART #	LEGACY #	QTY.
120233623	SEPA375	6 Items, 150 Total Pieces*

Hose Clamp Assortment (#4 – #36)

- Includes 10-post hose clamp rack



PART #	LEGACY #	QTY.
120233624	SE123845	10 Items, 140 Total Pieces*

Brass Pipe Fittings (1/8" – 1/2")

- Includes an adjustable compartment drawer



PART #	LEGACY #	QTY.
120393148	SEPA214	26 Items, 70 Pieces*



WARNING: Certain products can expose you to chemicals including Lead and Lead Compounds which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65Warnings.ca.gov.

Brass NTA D.O.T. Nylon Air Brake Compression Fittings Assortment (1/4" – 1/2")

- Includes 24-compartment drawer



PART #	LEGACY #	QTY.
120392992	SE00537	22 Items, 269 Total Pieces*



WARNING: Certain products can expose you to chemicals including Lead and Lead Compounds which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65Warnings.ca.gov.

D.O.T. Composite Push-to-Connect Air Brake Fittings (3/8")

- Includes tubing cutter
- Includes 24-compartment drawer



PART #	LEGACY #	QTY.
120393149	SEPA231	14 Items, 18 Pieces*



WARNING: Certain products can expose you to chemicals including Lead and Lead Compounds which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65Warnings.ca.gov.

D.O.T. Brass Push-to-Connect Prestomatic Air Brake Master Assortment (1/2" – 5/8")

- Includes pipe & fitting gauge
- Includes 20-compartment drawer



PART #	LEGACY #	QTY.
120391472	SE102565	20 Items, 20 Total Pieces*



WARNING: Certain products can expose you to chemicals including Lead and Lead Compounds which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65Warnings.ca.gov.

PrestoLok Push-to-Connect Master Assortment (1/8" – 3/8")

- Includes 24-compartment drawer
- Nickel plated brass with plastic pull ring



PART #	LEGACY #	QTY.
120391471	SE00541	24 Items, 102 Total Pieces*



WARNING: Certain products can expose you to chemicals including Lead and Lead Compounds which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65Warnings.ca.gov.

*See MSS catalog for all components in assortments

MRO SHOP ESSENTIALS

Legris Composite Industrial PTC Fittings Assortment (1/4" – 3/8")

- Includes 20-compartment drawer



PART #	LEGACY #	QTY.
120393144	SE00476	24 Items, 102 Total Pieces*

WARNING: Certain products can expose you to chemicals including **Lead and Lead Compounds** which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65Warnings.ca.gov.

Steel Hydraulic JIC Adaptors (1/4" – 1/2" JIC)

- Includes 16-compartment drawer
- Male connectors, unions & 90°



PART #	LEGACY #	QTY.
120393143	SE123834	15 Items, 57 Pieces*

WARNING: Certain products can expose you to chemicals including **Lead and Lead Compounds** which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65Warnings.ca.gov.

Hydraulic Fitting O-Ring Assortment (ORB, ORFS, For-Seal®)

- Includes 24-compartment drawer



PART #	LEGACY #	QTY.
120391845	SEPA651	20 Items, 345 Pieces*

WARNING: Certain products can expose you to chemicals including **Lead and Lead Compounds** which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65Warnings.ca.gov.

Frontier® 200 Air Hose Assembly

An economical air and water hose, Frontier is for a wide range of industrial, construction and agricultural applications.

- **Tube** EPDM synthetic rubber, RMA Class C (limited oil resistance)
- **Cover** Red EPDM synthetic rubber
- **Reinforcement** Spiral synthetic yarn
- **Ends** Brass male pipe crimped
- **Pressure** 200 psi
- **Temperature** -40°F to +190°F



PART #	LEGACY #	HOSE COLOR	HOSE ID (IN.)	END CONFIGURATION/ FITTINGS	LENGTH (FT.)	QTY.
120393151	SE404107	Red	3/8"	MXM 1/4 NPT	50'	1

Frontier 200®

- ContiTech air & water hose - bulk reel
- **Pressure** 200 psi
- **Tube** EPDM synthetic rubber, RMA Class C (limited oil resistance)
- **Cover** Red EPDM synthetic rubber
- **Reinforcement** Spiral synthetic yarn
- **Temperature** -40°F to +190°F



PART #	LEGACY #	HOSE COLOR	HOSE ID (IN.)	PACKAGING	LENGTH (FT.)	QTY.
120393152	SE404331	Red	3/8"	Reel	500'	1

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

Air Quick Coupler Assortment Industrial Interchange

- Includes 16-compartment drawer
- 1/4" body size



PART #	LEGACY #	QTY.
120393145	SE123832	11 Items, 22 Total Pieces*

WARNING: Certain products can expose you to chemicals including **Lead and Lead Compounds** which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65Warnings.ca.gov.

Model 70 Hose Saw – Clean Cuts™

- Cleaner cuts, safer cuts and no smoke
- Model 70 Hose Saw, 7" 110V
- 1-1/2 HP, 1 Phase, 60 Cycle, 3,430 RPM
- Cuts up to 1-1/4" hydraulic hose



PART #	QTY.
120393155	1



*See MSS catalog for all components in assortments

Danfoss Weatherhead WeatherGRIP™ "Z" Series (1- or 2-Wire Braid) Crimp Fittings Male Pipe Rigid

BITE-THE-WIRE technology - deeper ribs inside coupling bite through the cover and grips to the wire reinforcement of the hose.

Markets for "Z" series hose and fittings:

- Agriculture
- Construction
- Imported machinery
- Rental equipment
- Truck & bus



PART #	LEGACY #	THD.	HOSE SIZE	A		EØ		HEX SIZE 2		QTY.
				MM	IN.	MM	IN.	MM	IN.	
120393150	SE06Z-106	3/8-18	-06	57,7	2.27"	6,6	0.26"	11/16"		1

Danfoss Weatherhead's 4S (4-Spiral) Crimp Fittings Male Pipe Rigid (MP) — Straight

- Higher operating performance
- Superior corrosion resistance
- **One Piece Non-Skive Fitting** Reduces errors of matching correct socket with nipple
- **Non-Brazed (one-piece machined) Nipples** Eliminates possibility of braze joint failures in the field
- **Smaller profile fitting design** Easier to install hose assembly in tight spaces
- **Standardization** Meets / exceeds global industry specifications
- **DURA-KOTE Plating** Danfoss's next generation plating provides up to 1000 hours of corrosion resistance, far exceeding SAE J514 specification



PART #	LEGACY #	TERMINAL END DASH SIZE	HOSE SIZE	THREAD IN.	QTY.
120393153	SE4SA12MP12	-12	3/4"	3/4-14	1

Danfoss Weatherhead H280 WeatherSHIELD™ Hydraulic Hose (2 Wire Braid)

Meets or exceeds SAE 100R16 type S, EN857 2SC, ISO 1436

- **Inner Tube** Nitrile
- **Reinforcement** 2 wire braids
- **Cover** WeatherSHIELD™
- **Temp. Range**
 - Petroleum-Based Hydraulic Fluids: -46°C to +126°C (-50°F to 260°F)
 - Water-Based Hydraulic Fluids: -46°C to 70°C (-50°F to 158°F)
 - For Water: 0°C to 70°C (-32°F to 158°F)
- Used with Z series crimp ends
- Hydraulic system service with petroleum and water-based fluids
- Reusable hose ends also available for H280 hose
- 250ft Reels also available



PART #	LEGACY #	HOSE I.D.		HOSE O.D.		MAX. OPERATING PRESSURE		MIN. BURST PRESSURE		MIN. BEND RADIUS		HOSE WEIGHT		LENGTH (FT.)	QTY.
		MM	IN.	MM	IN.	BAR	PSI	BAR	PSI	MM	IN.	KG/M	LBS/100'		
120393154	SEH28006	9,5	3/8"	17,4	0.69"	400	5,800	1,600	23,200	65	2.55"	.43	29	50	1

MRO SHOP ESSENTIALS

Danfoss Weatherhead H430 High Pressure Spiral Hydraulic Hose (4 Wire Spiral)

- **Inner Tube** Nitrile
- **Reinforcement** 4 wire spiral
- **Cover** WeatherSHIELD™
- **Temp. Range**
-40°C to +126°C (-40°F to 260°F)
- For very high pressure hydraulic lines subjected to pressure surges and flexing
- Typical applications include construction, mining, farming, and high performance industrial equipment
- MSHA accepted
- Marine application J1942/Hydraulic only
- ABS approved
- DNV approved
- USCG approved
- Used with 4S crimp ends



PART #	LEGACY #	HOSE I.D.		HOSE O.D.		WORKING PRESSURE		MIN. BURST PRESSURE		MIN. BEND RADIUS		HOSE WEIGHT		LENGTH (FT.)	QTY.
		MM	IN.	MM	IN.	BAR	PSI	BAR	PSI	MM	IN	KG/M	LBS/100'		
120393146	SEH43012	19,0	3/4"	30,7	1.21"	380	5,500	1520	22,000	120,0	4.72"	1.34	90	50	1

Danfoss Weatherhead H069 General Purpose Truck Hose — DOT (All) Air Brake

SAE 100R5, SAE J1402 Type II, DOT All, ABS

- **Inner Tube** Nitrile
- **Reinforcement** 1 fiber braid - 1 steel braid
- **Cover** Textile braid
- **Temp. Range**
Hydraulic: -40°C to 100°C (-40°F to 212°F);
Air Brake: -40°C to 93°C (-40°F to 200°F);
Hot Oil: -40°C to 121°C (-40°F to 250°F)
- General purpose truck and hydraulic hose. For use in air brake, fuel, grease lines, high temperature petroleum oils and medium pressure hydraulic applications. -16 thru -40 sizes are not SAE or DOT approved for air brake applications.
- Reusable: 247N series
- **Hose Fitting Reference**
Crimp: 069 'E' Series (except size -40)



PART #	LEGACY #	HOSE I.D.			HOSE O.D.			WORKING PRESSURE		MIN. BURST PRESSURE		MIN. BEND RADIUS		HOSE WEIGHT		LENGTH (FT.)	QTY.
		MM	IN.	FRACTION	MM	IN.	FRACTION	BAR	PSI	BAR	PSI	MM	IN	KG/M	LBS/100'		
120393159	SEH06906	7,9	0.31	5/16"	17,1	0.67	43/64"	155,1	2,250	620,6	9,000	101,6	4.00"	10,4	23	50	1

Why trust Nitrile hydraulic hoses?

UNSHAKEABLE STRENGTH: Nitrile's robust composition tackles oils, fuels, and harsh chemicals with confidence, minimizing leaks and maximizing uptime.

ABRASION ARMOR: Rough terrain and tight corners are no match for nitrile's exceptional wear resistance. These hoses bend fearlessly without compromising structural integrity.

ENHANCED SAFETY: With inherent fire resistance, nitrile hoses offer an extra layer of peace of mind.

COST-EFFECTIVE CHAMPION: Delivering superior value, nitrile hoses offer exceptional performance without breaking the bank, helping you optimize your bottom line.

PRECISION FLEXIBILITY: Responsive and maneuverable, nitrile hoses grant you the control you need, translating to improved efficiency and accuracy in your operations.

SEAMLESS SYNERGY: Compatible with a wide range of fittings, nitrile simplifies installation and minimizes leak risks, further streamlining your operations.



Zenon Z12 Anti-Scratch Lens Safety Glasses

- Popular style fits most workers and applications
- Universal fit, molded bridge, 9.5 base curve, meets standards ANSI Z87.1+



PART #	LEGACY #	DESCRIPTION	QTY.
116767275	SE406911-12	Anti-Scratch Lens, Black Frame, Relaxed Bridge	12

Saf-Line™ Industrial Grip Nitrile Gloves

- Nitrile, 12" L beaded cuff and ambidextrous
- Extra-long to protect the wrists and longer forearms
- Powder free and latex free
- Fully textured, chemical resistant
- Material complies with FDA Regulations for Food Contact
- 50 gloves/dispenser box, 10 dispenser boxes/case
- Vend-Ready 10 gloves/box, 50 boxes/case



Applications: Food processing, repair technician, safety work, general maintenance

PART #	LEGACY #	THICKNESS	COLOR	SIZE	QTY.
120227628	SE119210754	8 mil	Blue	S	10
120227629	SE116692771	8 mil	Blue	M	10
120227630	SE116692783	8 mil	Blue	L	10
120227631	SE116692792	8 mil	Blue	XL	10
120227632	SE116692809	8 mil	Blue	XXL	10
120227633	SE119210756	8 mil	Blue	XXXL	10

Saf-Line™ Industrial Grip Disposable Gloves

- Nitrile, 9" L beaded cuff and ambidextrous
- Powder free and latex free
- Diamond grip, wet or dry gripping power
- Material complies with FDA Regulations for Food Contact
- 100 gloves/dispenser box, 10 dispenser boxes/case (XXL 90 gloves/box, XXXL 80 gloves/box)



Applications: Food processing, repair technician, safety work, general maintenance

PART #	LEGACY #	THICKNESS	COLOR	SIZE	QTY.
120227616	SE119210746	7 mil	Hi-Vis Orange	S	10
120227617	SE116692682	7 mil	Hi-Vis Orange	M	10
120227618	SE116692692	7 mil	Hi-Vis Orange	L	10
120227619	SE116692701	7 mil	Hi-Vis Orange	XL	10
120227620	SE116692709	7 mil	Hi-Vis Orange	XXL	10
120227621	SE119210748	7 mil	Hi-Vis Orange	XXXL	10

Saf-Line™ Industrial Grip Disposable Gloves

- Nitrile, 9" L beaded cuff and ambidextrous
- Powder free and latex free
- Tire tread grip, wet or dry gripping power
- Material complies with FDA Regulations for Food Contact
- 100 gloves/dispenser box, 10 dispenser boxes/case (XXL 90 gloves/box, XXXL 80 gloves/box)
- Vend-Ready 20 gloves/box, 40 boxes/case



Applications: Food processing, repair technician, safety work, general maintenance

PART #	LEGACY #	THICKNESS	COLOR	SIZE	QTY.
120227622	SE119210746	7 mil	Black	S	10
120227623	SE116692682	7 mil	Black	M	10
120227624	SE116692692	7 mil	Black	L	10
120227625	SE116692701	7 mil	Black	XL	10
120227626	SE116692709	7 mil	Black	XXL	10
120227627	SE119210748	7 mil	Black	XXXL	10

Saf-Line™ Industrial Grip Disposable Gloves

- Nitrile, 9" L beaded cuff and ambidextrous
- Powder free and latex free
- Diamond grip, wet and dry gripping power
- Material complies with FDA Regulations for Food Contact
- 100 gloves/dispenser box, 10 dispenser boxes/case (XXL 90 gloves/box, XXXL 80 gloves/box)
- Vend-ready packaged 20 gloves/box, 40 boxes/case
- Hi-vis green color can be easily seen in dark engine compartments



Applications: Food processing, repair technician, safety work, general maintenance

PART #	LEGACY #	THICKNESS	COLOR	SIZE	QTY.
120227280	SE119210556	6 mil	Hi-Vis Green	S	10
120227281	SE119210558	6 mil	Hi-Vis Green	M	10
120227282	SE119210560	6 mil	Hi-Vis Green	L	10
120227613	SE119210562	6 mil	Hi-Vis Green	XL	10
120227614	SE119210734	6 mil	Hi-Vis Green	XXL	10
120227615	SE119210736	6 mil	Hi-Vis Green	XXXL	10


Why are gloves made of nitrile?

PUNCTURE-RESISTANT: Nitrile gloves are thicker and sturdier than latex, offering superior protection against punctures from sharp objects like needles or broken glass.

OIL AND CHEMICAL PROOF: Nitrile's unique molecular structure makes it highly resistant to oils, greases, and many chemicals, making it ideal for mechanics, cleaning, and laboratory work.

GOOD TACTILE SENSITIVITY: Even though they are thicker, nitrile gloves retain remarkable flexibility and dexterity, allowing for fine motor skills like manipulating small objects.

PROTECTS AGAINST BIOHAZARDS: Nitrile provides a barrier against bloodborne pathogens, viruses, and bacteria, crucial for healthcare and scientific fields.



MRO SHOP ESSENTIALS

Aero-Chem® Brute Magic Oil

- Lubricates and penetrates, protects against rust and corrosion
- Improves electrical properties, dielectric strength to 30,000 volts
- May be applied to wet or dry surfaces
- Non-flammable



PART #	LEGACY #	NET WT.	QTY.
116767474	SEPA85078-6*	18 oz.	6
116767464	SEPA85078-12*	18 oz.	12
116767469	SEPA85078-24*	18 oz.	24

* Not available in California

Aero-Chem® TG10 Industrial Lubricant

- Penetrates quickly to loosen frozen & corroded parts
- PTFE & graphite add lubricity for quick, easy disassembly
- Provides lubrication from -24°F to 700°F
- Use on steel, aluminum, brass, copper, magnesium and other commonly used metals



PART #	LEGACY #	NET WT.	QTY.
116767521	SEPA86147-6	15 oz.	6
116767516	SEPA86147-12	15 oz.	12

Aero-Chem® PTFE Dry Lube

- Dries quickly to a white film
- Ideal for applications where clean, dry lubricity is necessary such as paper mills, textile factories, food processing plants, etc.
- Temperature range: -400°F to +500°F
- Low coefficient of friction
- CFC free



PART #	LEGACY #	NET WT.	QTY.
116767532	SEPA86753-6	10 oz.	6
116767527	SEPA86753-12	10 oz.	12



Aero-Chem® Non-Chlorinated Brake Cleaner

- Powerful spray
- Cleans and degreases fast
- Dries fast and completely
- Leaves no residue



PART #	LEGACY #	DESCRIPTION	NET WT.	QTY.
116767556	SEPA89391-12*	Non-Chlorinated, Flammable	13 oz.	12
116767561	SEPA89391-24*	Non-Chlorinated, Flammable	13 oz.	24

* Not available in CA, CO, CT, DE, MD, MI, NH, NY, OH, RI, UT

Aero-Chem® Chlorinated Brake Cleaner

- Specially formulated for professional mechanics
- Cleans and degreases all brake parts including brake linings, springs, cylinders, drums and disc brake pads
- Also effective in stopping disc brake squeal



PART #	LEGACY #	DESCRIPTION	NET WT.	QTY.
116767543	SEPA89342-12	Chlorinated, Non-Flammable	13 oz.	12
116767551	SEPA89342-24	Chlorinated, Non-Flammable	13 oz.	24

* Not available in CA, NJ

Fleet-Fill® Non-Chlorinated Brake Parts Cleaner

Quickly removes dirt, grease, brake fluid and grime from brake components; flushes away contaminants without disassembling the brake unit.



Features:

- 10% VOC formula
- **VOC COMPLIANT IN 50 STATES**
- Hexane Free, 1, 1, 1, Trichloroethane Free

Applications: for use on valve covers, clutch housings, clutch pressure plates and transmission

PART #	LEGACY #	DESCRIPTION	NET WT.	QTY.
116767260	SE404749-12	Non-Chlorinated, Flammable	15 oz.	12
116767265	SE404749-24	Non-Chlorinated, Flammable	15 oz.	24



WARNING: This product can expose you to chemicals including Ethyl Benzene, which is known to the State of California to cause cancer, and Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

Aero-Chem® Aerosol Glass Cleaner

- Dries clear, leaving no residue, eliminates streaks and film
- A combination of ingredients formulated to produce a fast acting foam that will cut through and lift dirt from glass surfaces
- Ammonia-free, excellent for windows, mirrors, windshields and other glass surfaces



PART #	LEGACY #	NET WT.	QTY.
116767459	SEPA82850-6	18 oz.	6
116767450	SEPA82850-12	18 oz.	12
116767455	SEPA82850-24	18 oz.	24

IPC® Universal Colors Aerosol

- A superior lead-free industrial coating formulated for general purpose applications where maximum performance is required
- Single-coat hiding power that protects against rust, weather, gasoline and the most corrosive chemicals
- Withstands high humidity and temperatures up to 300°F



PART #	LEGACY #	COLOR	NET WT.	QTY.
116767479	SEPA85683-12	Gloss White	16 oz.	12
116767482	SEPA85683-24	Gloss White	16 oz.	24

WARNING: This product can expose you to chemicals including [methyl isobutyl ketone, titanium dioxide] which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

PART #	LEGACY #	COLOR	NET WT.	QTY.
116767486	SEPA85684-12	Gloss Black	16 oz.	12
116767492	SEPA85684-24	Gloss Black	16 oz.	24

WARNING: This product can expose you to chemicals including [methyl isobutyl ketone] which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

IPC® Universal Colors Aerosol Assortment

- Choose any combination of 24 cans of IPC® Universal Color Paints listed below



PART #	LEGACY #	QTY.
116767345	SEA00183	24 cans*

PART #	LEGACY #	COLOR	NET WT.	TYPE
106290001	PA85683	Gloss White	16 oz.	Enamel
106251318	PA86501	Flat White	16 oz.	Enamel
110459282	PA85684	Gloss Black	16 oz.	Enamel
106267274	PA87520	Gloss Black	16 oz.	Lacquer (Acrylic)
106281375	PA86499	Semi-Gloss Black	16 oz.	Enamel
106292364	PA85692	Flat Black	16 oz.	Enamel
106517565	PA85685	Gloss Dark Machinery Gray	16 oz.	Enamel
106501932	PA85686	Gloss Light Machinery Gray	16 oz.	Enamel
106260827	PA86783	Dove Gray	16 oz.	Enamel
106264497	PA88538	Light Silver	16 oz.	Enamel
106252939	PA85682	Aluminum	16 oz.	Lacquer (Acrylic)
106290374	PA85690	Gloss Bright Green	16 oz.	Enamel
106246762	PA87097	Hunter Green	16 oz.	Enamel
106267413	PA85687	Gloss Yellow	16 oz.	Enamel
106259984	PA86476	Safety Yellow	16 oz.	Enamel
106260257	PA86751	School Bus Yellow	16 oz.	Enamel
106515207	PA85689	Gloss Equipment Orange	16 oz.	Enamel
106281735	PA86478	Safety Orange	16 oz.	Enamel
106255228	PA85688	Gloss Red	16 oz.	Enamel
106271057	PA85691	Gloss Blue	16 oz.	Enamel
106268773	PA86477	Safety Blue	16 oz.	Enamel
106266182	PA86142	Gloss Equipment Brown	16 oz.	Enamel
106295251	PA87162	Gloss Acrylic Clear	16 oz.	Lacquer (Acrylic)
110742843	PA92999	Safety Green	16 oz.	Enamel

*See MSS catalog for all components in assortments

IPC® Aerosol Universal Sandable Primers

- 20 oz. can/17 oz. net wt. (482g)
- Universal lacquer



PART #	LEGACY #	COLOR	QTY.
116767496	SEPA85693-12	Red Iron Oxide	12
116767500	SEPA85693-24	Red Iron Oxide	24

WARNING: This product can expose you to chemicals including [methyl isobutyl ketone, titanium dioxide], which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

PART #	LEGACY #	COLOR	QTY.
116767505	SEPA85694-12	Light Gray Oxide	12
116767510	SEPA85694-24	Light Gray Oxide	24

WARNING: This product can expose you to chemicals including [Titanium Dioxide], which is [are] known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Xylene-Free Industrial Paint Markers w/Reversible Tip

- Xylene free, fast drying paint that is water & weather resistant
- Heavy 5/8" aluminum barrel contains 13 ml of paint (30% more than standard paint markers)
- Produces highly visible, bright marks on metals, plastics, glass, ceramics, wood and more
- Press-tip valve regulates paint flow and contains a reversible bullet / chisel nib



PART #	LEGACY #	COLOR	QTY.
116767565	SEPA89705	Black	1
116767570	SEPA89706	Blue	1
116767577	SEPA89707	Green	1
116767582	SEPA89708	Red	1
116767587	SEPA89709	White	1
116767592	SEPA89710	Yellow	1
116767597	SEPA89711	Orange	1
116767601	SEPA89713	Silver	1

WARNING: This product can expose you to chemicals including [Titanium dioxide, carbon black], which is [are] known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Industrial Paint Markers Assortment – Xylene Free

- Includes 6-compartment plastic box – large



PART #	LEGACY #	COLOR	QTY.
116767538	SEPA88062	15 Colors, 19 Total Pieces*	1

WARNING: This product can expose you to chemicals including [Titanium dioxide, carbon black], which is [are] known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Big Larry™ Power Work Light

- Anodized aircraft-grade aluminum
- Water and impact-resistant
- Outputs 400 lumens of intense light
- High power emergency red flasher
- Top-positioned, ON/OFF button
- Powerful magnetic base
- Powered by 3 AA batteries (included)



PART #	LEGACY #	DESCRIPTION	COLOR	QTY.
116767229	SE402449	Length: 7.4375"	Red	1
116767244	SE402462	Length: 7.4375"	Black	1
116767239	SE402451	Power Work Light Holder	Black	1

Aero-Chem® Boss Towels Hand Cleaner System

- A fast, easy and effective hand cleaner that you can take on any job site
- Ideal for mechanics, painters, printers, machinists, plumbers, industrial & municipal workers
- Excellent for cleaning tools, dies, machines, pumps, vinyl, plastics & painted surfaces not harmed by soap and water
- 10-1/2" x 12-1/4" perforated, high strength absorbent cleaning cloths



PART #	LEGACY #	WIPES/TUB	QTY.
116767440	SEPA18251	72	1
116767445	SEPA18251-6	72	6


WE BRING ORDER TO CHAOS

At Applied MSSSM we transform your current operation into an efficient, fully-stocked, custom parts system. Installing the right storage solution in your shop will provide a substantial ROI through reduced down-time, increased productivity, space savings and less time wasted looking for the right part.



CONVENIENTLY LOCATED TO BEST SERVE YOU

- Offering more than 250,000 SKUs
- More than 45,000 SKUs in stock
- Find all of your MRO needs with Applied MSSSM:
 - Fasteners
 - Electrical Products
 - Chemicals
 - Fittings, Hose and Tubing
 - Cutting Tools
 - Safety Equipment
 - Janitorial and more



Every Small Part Counts We're here to manage them for you!®

AppliedMSS.com | 800-458-4018

Distribution Centers: Strongsville, OH – Lithia Springs, GA – Fontana, CA – Agawam, MA

