

# SPILL CONTROL STATION™

Spills happen. Be ready.



Leave spill response to us! Get the absorbents you need when and where you need them in an organized, custom cabinet. Your Applied MSS<sup>SM</sup> Account Manager will maintain your inventory for you so you can focus on the job at hand.

**Customize with:**

- Absorbent Mats
- Absorbent Socks
- Absorbent Rolls
- Universal, Hazmat and Oil-Only Options Available

# SPILL CONTROL STATION™

Save time, boost productivity and simplify inventory with the Applied MSS<sup>SM</sup> Spill Control Station™ and Vendor Managed Inventory program.

## FEATURES AND BENEFITS

Applied MSS<sup>SM</sup> Spill Control Station™ delivers cost savings and results that include:

- Absorbents that are organized, labeled, placed and replenished through ongoing service by an Applied MSS<sup>SM</sup> Account Manager
- A centrally located station that helps ensure workers know where to go for maintenance absorbents
- Always visible inventory - no more surprises when workers reach into a box and come up empty handed
- Complete stocking of absorbent pads, rolls, socks, wipers and pillows for easy cleanup of oily leaks, drips and spills
- A durable steel cabinet is built to last in industrial environments; easy assembly saves shipping costs
- Two adjustable shelves that accommodate multiple combinations of absorbents; two legs with pre-punched holes to fasten to floor; two drop-in bars for easy dispensing



## WHAT DO YOU NEED TO ABSORB? PICK UNIVERSAL, OIL-ONLY OR HAZMAT

### UNIVERSAL GRAY

- Soak up the widest range of liquids in everyday applications
- Perfect for cleaning up spills of oils, coolants, solvents, water, and more



### OIL-ONLY WHITE

- Naturally water-repellent, making them the best choice for oily cleanups in rain or water
- The perfect choice when you want to preserve absorbency just for oil



### HAZMAT YELLOW

- Perfect for cleaning up spills of oils, coolants, solvents, water, and more
- Color-coded in cautionary yellow for quick identification



# ABSORBENTS GUIDE

Customize your Spill Control Station™ with the absorbents you need.



## MAT ROLLS

Rolls fit on cabinet's drop-in bar for easy dispensing when longer mat lengths are needed.



## WIPER ROLLS

Fit on cabinet's drop-in bar; great for cleaning work surfaces, tools and hands.



## MAT PADS

Pads control spills and overspray to help keep floors dry and safe. Large surface area quickly soaks up liquids on contact. Choose pads for grab-and-go convenience.




## ABSORBENT SOCKS

Ideal for surrounding spilled fluids or wrapping around leaky machines. Easy and convenient to put into place. Contain spills to keep fluids from spreading into larger areas. Flexible to conform around machine bases and offer a snug fit with no seepage.



## ABSORBENT PILLOWS

High-volume absorbency lets you keep pillows in place longer underneath constant drips and steady leaks. Easy to place in hard-to-reach areas — use under machines and leaky hydraulic hoses or wedge in corners that are cramped for space.



# SPILL CONTROL STATION™



## Cabinets Only

PART #	LEGACY #	DESCRIPTION	QTY./UNIT
112903022	B01120	Spill Control Station™ 24"W x 24"D x 78"H	1
114018039	B01122	Wall Mount Spill Control Station™ 13-3/4"W x 12-3/4"D x 30"H	1



## Spill Control Station™ Assortment

PART #	LEGACY #	DESCRIPTION	QTY./UNIT
112945118	402399	Spill Control Station™ Assortment	-
Components included:			
		- Spill Control Station™	1
		- Choice of any three Spill Absorbents below	3

## Universal Gray Family

PART #	LEGACY #	DESCRIPTION	QTY./UNIT
113253911	404752	Universal Gray Heavy Weight Pads, 15" x 19"	100
116689924	407035	Universal Gray Heavy Weight Pads, 10" x 14"	75
116683775	404753	Universal Gray Medium Weight Pads, 15" x 19"	100
113337474	404754	Universal Gray Heavy Weight Split Roll, 15" x 150'	1
113083231	404755	Universal Gray Medium Weight Split Roll, 15" x 150'	1
116761161	PA91898	Universal Gray Socks, 3" x 4'	30
116683778	404756	Universal Gray Pillows, 18" x 18"	10



## Oil-Only White Family

PART #	LEGACY #	DESCRIPTION	QTY./UNIT
116683781	404757	Oil-Only White Heavy Weight Pads, 15" x 19"	100
116689930	407037	Oil-Only White Heavy Weight Pads, 10" x 14"	75
116683784	404758	Oil-Only White Medium Weight Pads, 15" x 19"	100
113337477	404759	Oil-Only White Heavy Weight Split Roll, 15" x 150'	1
113337478	404760	Oil-Only White Medium Weight Split Roll, 15" x 150'	1
116683787	404761	Oil-Only White Socks, 3" x 4'	30
116681175	104560UZ	Oil-Only White Pillows, 18" x 18"	10



## Hazmat Yellow Family

PART #	LEGACY #	DESCRIPTION	QTY./UNIT
116679424	402289	Hazmat Yellow Heavy Weight Pads, 15" x 19"	100
116689938	407040	Hazmat Yellow Heavy Weight Pads, 10" x 14"	75
116679427	402290	Hazmat Yellow Medium Weight Pads, 15" x 19"	100
113337483	402291	Hazmat Yellow Heavy Weight Split Roll 15" x 150'	1
113337484	402292	Hazmat Yellow Medium Weight Split Roll 15" x 150'	1
116679430	402293	Hazmat Yellow Socks, 3" x 4'	30
116689945	407042	Hazmat Yellow Pillows, 8" x 18"	10



## Wipers

PART #	LEGACY #	DESCRIPTION	QTY./UNIT
113253912	404762	Jumbo Roll, Medium Duty, White, 11.1" x 12" (800 Sheets)	1
113337481	404763	Jumbo Roll, Light Duty, White, 11.3" x 13.25" (950 Sheets)	1



113253912



113337481

## Accessories

PART #	LEGACY #	DESCRIPTION	QTY./UNIT
116689792	406915	Safety Glasses Acrylic Dispenser, 18"L x 18"W x 4"H	1
114609355	406916	Ear Plug Acrylic Dispenser, 6"L x 11-1/4"W x 9"H	1
116681620	403574	PPE Acrylic Dispenser, 6.5"L x 19"W x 24"H	1
116681186	403279	Acrylic Sign Holder, 7"L x 10"W	1



116689792



114609355



116681620



116681186

## Universal Gray Light Weight Roll

- Safely absorbs and retains oil, coolants, water, grease, gasoline, solvents, auto fluids, paint overspray, battery acid and most other liquids
- Compact, grab-and-go roll size is great for mobile techs
- Roll is perforated every 10"
- Use with part # 116771185 (ST-A-MAGRACK): roll holder dispenser with magnets

PART #	LEGACY #	DESCRIPTION	QTY.
116693613	408248	15"W x 50'L	1
116693616	408248-12	15"W x 50'L	12



## Roll Holder Dispenser with Magnets

- Holds one 15"W x 50'L mat roll such as our PART #116693613 for easy one-hand dispensing
- Durable, powder-coated steel resists chips, rust and corrosion
- Powerful magnets keep roll holder firmly in place during dispensing; can be removed and relocated in seconds
- Ideal for attaching to the Spill Control Station™, tool boxes, car lifts, support beams or other metal surfaces

PART #	LEGACY #	DESCRIPTION	QTY.
116771185	ST-A-MAGRACK	5.5"W x 17"L x 2"H	1



# WALL MOUNT SPILL CONTROL STATION™

## Wall Mount Spill Control Station™ Assortment

PART #	LEGACY #	DESCRIPTION	QTY./UNIT
<b>114251451</b>	A00129	Wall Mount Spill Control Station™ Assortment	–
Components included:			
		- Wall Mount Spill Control Station™	1
		- Hi-Vis Disposable Bag, 30" x 60"	4
		- Heavy Duty Wipers 1/4 fold, 12-1/2" x 13", 56 Wipers/Pack	1
		- Choice of any three Spill Absorbents below	3



## Universal Gray Family

PART #	LEGACY #	DESCRIPTION	QTY./UNIT
<b>116689924</b>	407035	Universal Gray Heavy Weight Pads, 10" x 14"	75
<b>116761167</b>	PA91898-2	Universal Gray Socks, 3" x 4'	2
<b>116689927</b>	407036	Universal Gray Pillows, 10" x 10"	10



## Oil-Only White Family

PART #	LEGACY #	DESCRIPTION	QTY./UNIT
<b>116689930</b>	407037	Oil-Only White Heavy Weight Pads, 10" x 14"	75
<b>116689933</b>	407038	Oil-Only White Socks, 3" x 4'	2
<b>116689935</b>	407039	Oil-Only White Pillows, 10" x 10"	10



## Hazmat Yellow Family

PART #	LEGACY #	DESCRIPTION	QTY./UNIT
<b>116689938</b>	407040	Hazmat Yellow Heavy Weight Pads, 10" x 14"	75
<b>116689941</b>	407041	Hazmat Yellow Socks, 3" x 4'	2
<b>116689945</b>	407042	Hazmat Yellow Pillows, 10" x 10"	10



## Accessories

PART #	LEGACY #	DESCRIPTION	QTY./UNIT
<b>114018040</b>	403580	Hi-Vis Disposable Bag, 30" x 60"	1
<b>114018041</b>	PA971111-1	Heavy Duty Wipers 1/4 fold, 12-1/2" x 13", 56 Wipers/Pack	1



# REGULATIONS AND COMPLIANCE

Absorbents and spill containment products help you keep employees and work environments safe from unexpected spills, leaks, drips or other accidents. All plants are required to meet Federal regulations for liquid control. In addition, compliance with various regulations ensures that costly fines and negative impacts on an organization's reputation are eliminated. Absorbents are available for cleaning up oil, water and chemical based spills. Select from our line of absorbents and spill kits to help comply with the latest OSHA safety regulations. Other products are available to help comply with EPA, DOT and USCG Regulations.

**29 CFR 1910.22(a)(2)** – SUMMARY: Floors in your workplace should be “maintained in a clean and, so far as possible, a dry condition.”

**29 CFR 1910.107(g)(2)** – SUMMARY: OSHA requires spraying areas to be “kept as free from the accumulation of deposits of combustible residues as practical.”

**29 CFR 1910.1450(e)** – SUMMARY: OSHA requires containment and cleanup materials for spills in laboratories to reduce occupational exposure to hazardous chemicals

**29 CFR 1910.107(b)(3)** – SUMMARY: Combustible floors in a spray booth or work area “shall be covered with noncombustible material to facilitate the safe cleaning and removal of residues.”

**29 CFR 1910.120(j)(1)** – SUMMARY: Commonly known as HAZWOPER, requires DOT containers and proper absorbents be kept available and used wherever spills, leaks or ruptures may occur.

## MATS – PADS & ROLLS:

**29 CFR 1910.107(b)(3)** – If floors in a spray booth or work area are combustible, they “shall be covered with noncombustible material of such character as to facilitate the safe cleaning and removal of residues.”

**29 CFR 1910.107(g)(2)** – OSHA requires spraying areas to be “kept as free from the accumulation of deposits of combustible residues as practical.”

**29 CFR 1910.120(j)(1)** – Under an OSHA requirement, “DOT-specified salvage drums or containers and suitable quantities of proper absorbents shall be kept available and used in areas where spills, leaks, or ruptures may occur.”

**29 CFR 1910.1450(e)** – OSHA requires containment and cleanup materials for spills in laboratories to reduce occupational exposure to hazardous chemicals.

**29 CFR 1910.22(a)(2)** – Floors in your workplace should be, “maintained in a clean and, so far as possible, a dry condition.”

**49 CFR 173.3(c)(2)** – The area between a container and a salvage drum used for overpacking must have “sufficient cushioning and absorption material to prevent excessive movement of the damaged package and to eliminate the presence of any free liquid at the time the salvage drum is closed.”

## SOCKS:

**29 CFR 1910.120(j)(1)** – Under an OSHA requirement, “DOT-specified salvage drums or containers and suitable quantities of proper absorbents shall be kept available and used in areas where spills, leaks, or ruptures may occur.”

**40 CFR 112.7(c)(1)** – Facilities must have “appropriate containment and/or diversionary structures to prevent discharge oil from reaching a navigable water course.”

**40 CFR 263.30(a)** – In the event of a spill, transporters must, “take appropriate immediate action to protect human health and the environment.”

**40 CFR 263.31** – Transporters, “must clean up any hazardous waste discharge that occurs during transportation...so that the hazardous waste discharge no longer presents a hazard to human health or the environment.”

**49 CFR 173.3(c)(2)** – The area between a container and a salvage drum used for overpacking must have “sufficient cushioning and absorption material to prevent excessive movement of the damaged package and to eliminate the presence of any free liquid at the time the salvage drum is closed.”

## PILLOWS:

**29 CFR 1910.120(j)(1)** – Under an OSHA requirement, “DOT-specified salvage drums or containers and suitable quantities of proper absorbents shall be kept available and used in areas where spills, leaks, or ruptures may occur.”

**33 CFR 154.1047(c)(2)** – Concerning navigation and navigable waters, a facility which handles, stores or transports Group V petroleum oils must identify response plan resources such as containment booms and other methods.

**40 CFR 112.7(c)(1)** – Facilities must have “appropriate containment and/or diversionary structures to prevent discharge oil from reaching a navigable water course.”

**40 CFR 263.30(a)** – In the event of a spill, transporters must, “take appropriate immediate action to protect human health and the environment.”

**40 CFR 263.31** – Transporters, “must clean up any hazardous waste discharge that occurs during transportation...so that the hazardous waste discharge no longer presents a hazard to human health or the environment.”

**49 CFR 173.3(c)(2)** – The area between a container and a salvage drum used for overpacking must have “sufficient cushioning and absorption material to prevent excessive movement of the damaged package and to eliminate the presence of any free liquid at the time the salvage drum is closed.”



# SPILL CONTROL STATION™


## WE BRING ORDER TO CHAOS

At Applied MSS<sup>SM</sup> we transform your current operation into an efficient, fully-stocked, custom parts system. Installing the right storage solution in your shop will provide a substantial ROI through reduced down-time, increased productivity, space savings and less time wasted looking for the right part.



## CONVENIENTLY LOCATED TO BEST SERVE YOU

- Offering more than 250,000 skus
- More than 45,000 skus in stock
- Find all of your MRO needs with Applied MSS<sup>SM</sup>:
  - Fasteners
  - Electrical Products
  - Chemicals
  - Fittings, Hose and Tubing
  - Cutting Tools
  - Safety Equipment
  - Janitorial and more



Every Small Part Counts We're here to manage them for you!®

**AppliedMSS.com | 800-458-4018**

Strongsville, OH – Atlanta, GA – Fontana, CA – Agawam, MA



DISCLAIMER: The above content is provided by the supplier. Applied does not guarantee the accuracy or timeliness of the content. The above content is provided "AS IS", AND ANY AND ALL EXPRESS AND IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS ARE HEREBY EXCLUDED. All warranties if any, are solely from the supplier.