



FM APPROVED CORROSIVE CABINETS

- Sturdy all welded double wall steel construction
- Choice of manual or self closing doors
- Units come with plastic trays that prevent any leak or spill of corrosive liquids
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" deep leak proof base
- Electrical ground to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allows for ventilation
- Units come fully assembled and ready for use
- Durable, textured, blue powder coat finish



PART #	MODEL #	CAPACITY (GL.)	OVERALL DIM: WxDxH (IN.)	SHELVES	PART #	OPTIONAL SHELF PART #	PLASTIC TRAYS	PART #	OPTIONAL TRAY	DOOR STYLE	SHIP WT. (LBS.)
120582324	DM-1004M-293T	4	17-3/8 x 18-1/8 x 22-1/8	1	117320435	DM-FS-SH-1413	2	120582354	FS-TR-1413-50-PKG	Manual	103
120582325	DM-1004S-293T	4	17-3/8 x 18-1/8 x 23-3/8	1	117320435	DM-FS-SH-1413	2	120582354	FS-TR-1413-50-PKG	Self Closing	112
120582326	DM-1012M-293T	12	23 x 18 x 35	1	116740852	DM-FS-SH-1419	2	120582355	FS-TR-1419-50-PKG	Manual	157
120586472	DM-1012MH-293T	12	43 x 18 x 17-15/16	1	116740857	DM-FS-SH-1439	2	120582356	FS-TR-1439-50-PKG	Manual	173
120582328	DM-1012S-293T	12	23 x 18 x 36-3/8	1	116740852	DM-FS-SH-1419	2	120582355	FS-TR-1419-50-PKG	Self Closing	168
120582329	DM-1016M-293T	16	23 x 18 x 44	1	116740852	DM-FS-SH-1419	2	120582355	FS-TR-1419-50-PKG	Manual	188
120582330	DM-1016S-293T	16	23 x 18 x 45-3/8	1	116740852	DM-FS-SH-1419	2	120582355	FS-TR-1419-50-PKG	Self Closing	198
120582331	DM-1022M-293T	22	23-5/16 x 18-1/8 x 65	2	116740852	DM-FS-SH-1419	3	120582355	FS-TR-1419-50-PKG	Manual	293
120582332	DM-1022S-293T	22	23-5/16 x 18-1/8 x 66-3/8	2	116740852	DM-FS-SH-1419	3	120582355	FS-TR-1419-50-PKG	Self Closing	308
120586483	DM-1022UCM-293T	22	35 x 22 x 35	1	120582353	DM-FS-SH-1731	2	120582357	FS-TR-1731-50-PKG	Manual	241
120586484	DM-1022UCS-293T	22	35 x 22 x 35	1	120582353	DM-FS-SH-1731	2	120582357	FS-TR-1731-50-PKG	Self Closing	245
120582338	DM-1030M-293T	30	43 x 18 x 44	1	116740857	DM-FS-SH-1439	2	120582356	FS-TR-1439-50-PKG	Manual	285
120582339	DM-1030S-293T	30	43 x 18 x 45-3/8	1	116740857	DM-FS-SH-1439	2	120582356	FS-TR-1439-50-PKG	Self Closing	304
120582341	DM-1045M-293T	45	43 x 18 x 65	2	116740857	DM-FS-SH-1439	3	120582356	FS-TR-1439-50-PKG	Manual	397
120582342	DM-1045S-293T	45	43 x 18 x 66-3/8	2	116740857	DM-FS-SH-1439	3	120582356	FS-TR-1439-50-PKG	Self Closing	417
120582343	DM-1060M-293T	60	34 x 34 x 65	2	116740862	DM-FS-SH-2930	3	120582358	FS-TR-2930-50-PKG	Manual	479
120582345	DM-1060S-293T	60	34 x 34 x 66-3/8	2	116740862	DM-FS-SH-2930	3	120582358	FS-TR-2930-50-PKG	Self Closing	506
120582347	DM-1090M-293T	90	43 x 34 x 65	2	116740862	DM-FS-SH-2930	3	120586486	FS-TR-2939-50-PKG	Manual	552
120582348	DM-1090S-293T	90	43 x 34 x 66-3/8	2	116740862	DM-FS-SH-2930	3	120586486	FS-TR-2939-50-PKG	Self Closing	583
120582349	DM-1120M-293T	120	59 x 34 x 65	2	-	-	3	120582360	FS-TR-2955-50-PKG	Manual	694
120582351	DM-1120S-293T	120	59 x 34 x 66-5/16	2	-	-	3	120582360	FS-TR-2955-50-PKG	Self Closing	734

Every Small Part Counts We're here to manage them for you!®

AppliedMSS.com | 800-458-4018

Distribution Centers: Strongsville, OH – Lithia Springs, GA – Fontana, CA – Agawam, MA



DISCLAIMER: The above content is provided by the supplier. Applied does not guarantee the accuracy or timeliness of the content. The above content is provided "AS IS", AND ANY AND ALL EXPRESS AND IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS ARE HEREBY EXCLUDED. All warranties, if any, are solely from the supplier.



FM APPROVED FLAMMABLE & COMBUSTIBLE SAFETY CABINETS



FM APPROVED FLAMMABLE SAFETY CABINETS

- Sturdy all welded double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire Units come fully assembled and ready for use
- Electrical ground to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allows for ventilation
- Safety yellow, powder coat finish



PART #	MODEL #	CAPACITY (GL.)	OVERALL DIM: WxDxH (IN.)	SHELVES	PART #	OPTIONAL SHELF PART	DOOR STYLE	SHIP WT. (LBS.)
116740416	DM-1002M-50	2	17-7/16 x 18-1/8 x 17-1/4	1	117320435	DM-FS-SH-1413	Manual	77
116740421	DM-1002S-50	2	17-3/8 x 18-1/8 x 18-3/8	1	117320435	DM-FS-SH-1413	Self Closing	82
116740426	DM-1004M-50	4	17-3/8 x 18-1/8 x 22-1/8	1	117320435	DM-FS-SH-1413	Manual	101
116740431	DM-1004S-50	4	17-3/8 x 18-1/8 x 23-3/8	1	117320435	DM-FS-SH-1413	Self Closing	110
116918147	DM-1012MH-50	12 - Horizontal	43 x 18 x 17-15/16	1	116740857	DM-FS-SH-1439	Manual	170
116143584	DM-1012MA-50	24 standard 12 oz. cans	23 x 18 x 35	2 Slide Shelves	-	-	Manual	168
116740436	DM-1012M-50	12	23 x 18 x 35	1	116740852	DM-FS-SH-1419	Manual	153
116740448	DM-1012S-50	12	23 x 18 x 36-3/8	1	116740852	DM-FS-SH-1419	Self Closing	165
117319829	DM-1016M-50	16	23 x 18 x 44	1	116740852	DM-FS-SH-1419	Manual	186
117319688	DM-1016S-50	16	23 x 18 x 45-3/8	1	116740852	DM-FS-SH-1419	Self Closing	196
116740453	DM-1022M-50	22	23-5/16 x 18-1/8 x 65	2	116740852	DM-FS-SH-1419	Manual	290
116740458	DM-1022S-50	22	23-5/16 x 18-1/8 x 66-3/8	2	116740852	DM-FS-SH-1419	Self Closing	305
116740465	DM-1022UCM-50	22	35 x 22 x 35	1	120582353	DM-FS-SH-1731	Manual	237
116740470	DM-1022UCS-50	22	35 x 22 x 35	1	120582353	DM-FS-SH-1731	Self Closing	241
120582335	DM-1024M-50	24	23 x 18 x 65	3	116740852	DM-FS-SH-1419	Manual	280
120582336	DM-1024S-50	24	23 x 18 x 65	3	116740852	DM-FS-SH-1419	Self Closing	281
120586485	DM-1024SAWM-50	24	43 x 12 x 44	3	117320520	DM-FS-SH-0839	Self Closing	226
116740475	DM-1030M-50	30	43 x 18 x 44	1	116740857	DM-FS-SH-1439	Manual	277
116740491	DM-1030S-50	30	43 x 18 x 45-3/8	1	116740857	DM-FS-SH-1439	Self Closing	297
116740485	DM-1030MPI-50	30 - Paint & Ink	43 x 12 x 65	5	117320520	DM-FS-SH-0839	Manual	372
120582340	DM-1030SPI-50	30 - Paint & Ink	43 x 12 x 65	5	117320520	DM-FS-SH-0839	Self Closing	374
116740500	DM-1045M-50	45	43 x 18 x 65	2	116740857	DM-FS-SH-1439	Manual	390
116740510	DM-1045S-50	45	43 x 18 x 66-3/8	2	116740857	DM-FS-SH-1439	Self Closing	409
116740519	DM-1055MDSR-50	55 - Drum	34 x 34 x 65	1	116740862	DM-FS-SH-2930	Manual	492
116740524	DM-1055SDSR-50	55 - Drum	34 x 34 x 66-3/8	1	116740862	DM-FS-SH-2930	Self Closing	518
116740529	DM-1060M-50	60	34 x 34 x 65	2	116740862	DM-FS-SH-2930	Manual	470
116740540	DM-1060S-50	60	34 x 34 x 66-3/8	2	116740862	DM-FS-SH-2930	Self Closing	496
120582344	DM-1060MPI-50	60 - Paint & Ink	43 x 18 x 65	5	117320520	DM-FS-SH-0839	Manual	423
120582346	DM-1060SPI-50	60 - Paint & Ink	43 x 18 x 66-3/8	5	117320520	DM-FS-SH-0839	Self Closing	444
116740544	DM-1090M-50	90	43 x 34 x 65	2	116740867	DM-FS-SH-2939	Manual	540
116740555	DM-1090S-50	90	43 x 34 x 66-3/8	2	116740867	DM-FS-SH-2939	Self Closing	571
120582350	DM-1120M-50	120	59-1/16 x 34 x 65	2	-	-	Manual	677
120582352	DM-1120S-50	120	59 x 34 x 66-5/16	2	-	-	Self Closing	715

*FM Approval not required

FM APPROVED FLAMMABLE SAFETY CABINETS

- Sturdy all welded double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Units come fully assembled and ready for use
- Electrical ground to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allows for ventilation
- Red, powder coat finish



PART #	MODEL #	CAPACITY (GL.)	OVERALL DIM: WxDxH (IN.)	SHELVES	PART #	OPTIONAL SHELF PART	DOOR STYLE	SHIP WT. (LBS.)
117319689	DM-1030S-17	30	43 x 18 x 44	1	116740857	DM-FS-SH-1439	Manual	272
117319690	DM-1060S-17	30	43 x 18 x 45-3/8	1	116740857	DM-FS-SH-1439	Self Closing	292
117319831	DM-1030M-17	45	43 x 18 x 65	2	116740857	DM-FS-SH-1439	Manual	383
117319832	DM-1045M-17	60	34 x 34 x 65	2	116740862	DM-FS-SH-2930	Manual	464
117319833	DM-1060M-17	60	34 x 34 x 66-3/8	2	116740862	DM-FS-SH-2930	Self Closing	596

FM APPROVED FLAMMABLE SAFETY CABINET WITH LEGS

- Sturdy all welded double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Electrical ground to aid in the elimination of an electrostatic discharge
- Units come fully assembled and ready for use
- Improved security with recessed lockable paddle latch and 3 point locking system
- 6" box style legs allows for lagging to the floor, moving with forklift, and cleaning under the cabinet
- Bunged air vents on each side of the cabinet allows for ventilation
- Safety yellow, powder coat finish



PART #	MODEL #	CAPACITY (GL.)	OVERALL DIM: WxDxH (IN.)	SHELVES	PART #	OPTIONAL SHELF PART	DOOR STYLE	SHIP WT. (LBS.)
116740443	DM-1012ML-50	12	23 x 18 x 41	1	116740852	DM-FS-SH-1419	Manual	165
116918148	DM-1012SL-50	12	23 x 18 x 42-3/8	1	116740852	DM-FS-SH-1419	Self Closing	176
117319593	DM-1016ML-50	16	23 x 18 x 50	1	116740852	DM-FS-SH-1419	Manual	196
117319548	DM-1016SL-50	16	23 x 18 x 51-3/8	1	116740852	DM-FS-SH-1419	Self Closing	207
116740480	DM-1030ML-50	30	43 x 18 x 50	1	116740857	DM-FS-SH-1439	Manual	286
116740496	DM-1030SL-50	30	43 x 18 x 51-3/8	1	116740857	DM-FS-SH-1439	Self Closing	306
116740505	DM-1045ML-50	45	43 x 18 x 71	2	116740857	DM-FS-SH-1439	Manual	398
116740514	DM-1045SL-50	45	43 x 18 x 72-3/8	2	116740857	DM-FS-SH-1439	Self Closing	418
116740534	DM-1060ML-50	60	34 x 34 x 71	2	116740862	DM-FS-SH-2930	Manual	487
116918150	DM-1060SL-50	60	34 x 34 x 72-3/8	2	116740862	DM-FS-SH-2930	Self Closing	513
116740549	DM-1090ML-50	90	43 x 34 x 71	2	116740867	DM-FS-SH-2939	Manual	557
116740562	DM-1090SL-50	90	43 x 34 x 72-3/8	2	116740867	DM-FS-SH-2939	Self Closing	588
117319577	DM-1120ML-50	120	59-1/16 x 34 x 65	2	-	-	Manual	694