APPLIED MSS℠ SHOP SOLUTIONS

NOV/DEC 2026

APPLIED Maintenance Supplies & Solutions®

TOTAL FOOD PROCESSING LINE PROTECTION:

High-Performance Chemicals, Corrosion Defense, PPE, & Metal-Detectable Shop Essentials



In food processing environments, standard shop supplies simply won't cut it. Equip your maintenance and sanitation teams with food-grade solutions built for the toughest plant conditions. Discover specialized chemical maintenance, washdown-protected hardware, compliant personal protective gear, and X-ray visible utility tools, all designed to eliminate hidden hazards and ensure seamless compliance across your entire operation.

MACHINE OILS

Aero-Chem® Light Oil Lube



- Penetrating foam reduces friction and wear on all types of chains and conveyors operating in food processing areas
- Temperature range 0°F to 325°F (-18°C to 163°C)

PART #	DESCRIPTION	QTY.
106298359	16oz. Can/12oz. net wt. (340g)	1
110357438	16oz. Can/12oz. net wt. (340g)	12

CRC® Food Grade Machine Oil



- Safe on most plastics
- Penetrates to loosen rust, scale, dirt and corrosion. Meets FDA Regulation CFR 21-178.3570 for incidental food contact.
- Non-silicone formula is virtually colorless and odorless
- NSF Registered - Rated H1

PART #	DESCRIPTION	QTY.
116679689	16oz. Can/11oz. net wt. (312g)	1
116679692	16oz. Can/11oz. net wt. (312g)	12

VENDOR NUMBER 03081

NSF Nonfood Compounds #017392

Lubriplate® FG Oil Direct Food Machinery Lubricant*



- Meets U.S. FDA Regulation CFR 172.878
- Approved for direct & incidental food contact
- Non-toxic, odorless and tasteless
- Allergen free
- Provides corrosion protection when applied to metal surfaces
- NSF 3H & H1 Registered Food Grade

PART #	DESCRIPTION	QTY.
120019136	16 oz. can/11oz. net wt. (312 g)	1
120019137	16 oz. can/11oz. net wt. (312 g)	12

CRC® Food Grade Penetrating Oil



- Safe on most plastics
- Does not contain silicones
- Penetrates and loosens rust, scale, corrosion and dirt to free corroded parts and fasteners
- General purpose lubricant for food processing equipment
- NSF Registered - Rated H1

PART #	DESCRIPTION	QTY.
116679707	16oz. Can/11oz. net wt. (312g)	1
116679710	16oz. Can/11oz. net wt. (312g)	12

VENDOR NUMBER 03086

NSF Nonfood Compounds #130546

***While Supplies Last**

HEAVY-DUTY DEGREASERS

CRC® Food Grade Citrus Degreaser



- Flammable
- Not safe for plastics
- Dielectric strength 58,600 Volts
- Low VOC Formula
- Removes grease, oil and lubricants with no water wash-off
- NSF Registered - Rated C1

PART #	DESCRIPTION	QTY.
116679758	20oz. Can/15oz. net wt. (425g)	1
116679761	20oz. Can/15oz. net wt. (425g)	12

VENDOR NUMBER 14170

NSF Nonfood Compounds #123521

CRC® Food Grade Non-Chlorinated Heavy Duty Degreaser II



- Flammable
- Use caution on plastics
- Dielectric strength 42,100 Volts
- Ford Tox No. 186638
- High flashpoint of 180°F
- Zero VOC formula for cleaning where chlorinated solvents are not acceptable
- NSF Registered - Rated K1, K2

PART #	DESCRIPTION	QTY.
116679731	20oz. Can/15oz. net wt. (425g)	1
116679734	20oz. Can/15oz. net wt. (425g)	12

VENDOR NUMBER 03120

NSF Nonfood Compounds #017399

CRC® Food Grade Quick Clean™ Safety Solvent and Degreaser



- Chlorinated, non-flammable
- Use caution on plastics and paints
- Dielectric strength 37,500 Volts
- VOC exempt formula contains no Class I or Class II ozone depleting chemicals
- NSF Registered - Rated K1

PART #	DESCRIPTION	QTY.
116679755	20oz. Can / 19oz. net wt. (539g)	1
113711635	20oz. Can / 19oz. net wt. (539g)	12

VENDOR NUMBER 03180

NSF Nonfood Compounds #185352

Restricted From Sale In CA, CO, CT, DC, IL, IN. MA, MD, ME, MI, NH, NJ, NY, OH, PA, UT, VA

RELIABLE CHEMICAL PROTECTION FOR FOOD PROCESSING EQUIPMENT



We keep your chemicals stocked and organized so you can grab and go with confidence. Prevent devastating cross-contamination by keeping your NSF-rated products clearly separated. NSF H1 lubricants are certified safe for incidental food contact on processing equipment, while NSF H2 formulas provide maximum machinery protection in areas with zero food contact. Clear organization ensures your maintenance team grabs the right formula every time, protecting your production line and maintaining complete regulatory compliance.

SPECIALTY LUBRICANTS

CRC® Industrial Food Grade Silicone



- Eliminates binding and sticking in most metal and non-metal applications
- Meets FDA Regulation CFR 21-178.3570
- Safe on most plastics (test small area)
- Extremely flammable
- NSF Registered - Rated H1

PART #	DESCRIPTION	QTY.
116692893	16oz. Can/10oz. net wt. (283g)	1
116692896	16oz. Can/10oz. net wt. (283g)	12

VENDOR NUMBER 03040

NSF Nonfood Compounds #017393

Bel-Ray® No-Tox Food Grade Clear Grease



- Bacteriological protection
- Effectively inhibits the growth of certain bacteria, yeast and mold in the lubricant
- Compliances Kosher and Pareve approved, Halal certified
- Aluminum complex thickener, virtually waterproof
- Temperature range from -4°F to 350°F (-20°C to 177°C)
- The waterproof properties make it suitable for the wet environments
- NSF Registered - Rated H1, NLGI Grade 2

PART #	DESCRIPTION	QTY.
116726313	14oz. Cartridge (397g)	10

Food grade grease, lubricants, and machine oils to protect your equipment as well as production

CRC® Food Grade Dry PTFE Lubricant*



- Flammable
- Safe on plastics
- Contains PTFE, the advanced dry film lubricant technology from DuPont®
- Prevents sticking, reducing friction and wear and is highly resistant to oil, dust and dirt build-up
- NSF Registered - Rated H2

PART #	DESCRIPTION	QTY.
116679743	16oz. Can/ 10oz. net wt. (283g)	1
116679746	16oz. Can/ 10oz. net wt. (283g)	12

VENDOR NUMBER 03044

NSF Nonfood Compounds #121621

⚠ **WARNING:** This product can expose you to chemicals including n-Hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CRC® Food Grade Di-Electric Grease



- Extremely flammable
- Safe on most plastics
- Non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating
- NSF Registered - Rated H1

PART #	DESCRIPTION	QTY.
116679701	16oz. Can/10oz. net wt. (283g)	1
116679704	16oz. Can/10oz. net wt. (283g)	12

VENDOR NUMBER 03082

NSF Nonfood Compounds #130627

⚠ **WARNING:** This product can expose you to chemicals including [ethylbenzene, toluene, cumene, naphthalene], which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

DRIVE & CONVEYOR CARE

CRC® Food Grade Belt Dressing



- Extends the life of drive belts by improving traction & allowing runs under reduced belt tension
- Can be used on leather, rubber, canvas or fabric, and is ideally suited for flat, round and V-belts
- Extremely flammable
- NSF Registered - Rated H1

PART #	DESCRIPTION	QTY.
116679798	16oz. Can/10oz. net wt. (283g)	1
116679801	16oz. Can/10oz. net wt. (283g)	12

VENDOR NUMBER 03065

NSF Nonfood Compounds #017386

CRC® Food Grade Chain Lubricant*



- Plastic safe
- Penetrates, lubricates and protects moving parts by reducing friction and wear
- NSF Registered - Rated H1

PART #	DESCRIPTION	QTY.
116679695	16oz. Can/12oz. net wt. (340g)	1
116679698	16oz. Can/12oz. net wt. (340g)	12

VENDOR NUMBER 03055

NSF Nonfood Compounds #126481

***While Supplies Last**

FOOD-GRADE TUBING & WASHDOWN-PROTECTED LINE COMPONENTS

MOISTURE-PROOF ELECTRICAL

High moisture environments lead to premature equipment failure. Your electrical components are at an even higher risk. Keep your lines moving by locking corrosion out.

Moisture Resistant Tap Connectors



- Gel-filled for complete protection from the environment and improved connection reliability
- Double hinged cover for quicker taps onto existing runs
- 18 -14 ga. wire range covers the most widely used sizes
- Operating temperature: 167°F Maximum (75°C)
- Voltage rating: 600V max. building wire; 1000V max. in signs and fixtures

PART #	QTY.
116696075	25

MasterLink® Lead Free Ultra Seal & Solder Butt Connectors

PART #	WIRE GAUGE	COLOR	QTY.
116683386	24-22 ga.	Clear	25
116683389	22-18 ga.	Red	25
116683391	16-14 ga.	Blue	25
116683393	16-14 ga.	Blue	50
116683398	12-10 ga.	Yellow	25



Solutions to kick corrosion to the curb

TUBING

Thermoplastic Tubing - Polypropylene*



- Laboratory grade - FDA, NSF - 51 listed
- Acid, chemical and corrosion resistant
- Resistance to hot water, hot corrosive acids is excellent
- Flexible, lasts longer than nylon tubing in hot water service
- Operating temperatures, depending upon conditions, are 0°F to +200°F (-18°C to +93°C)

PART #	TUBE O.D.	TUBE I.D.	WALL THICKNESS	WORKING PRESSURE 73°F PSI	COLOR	LENGTH (FT.)	QTY.
102709395	1/4"	.170"	.040"	300	White	100'	1

Thermoplastic Tubing - Clear Vinyl*



- Instrument and Laboratory Grade - FDA Compliance
- Made from virgin clear PVC (polyvinyl chloride) resin, specially formulated for exceptional purity, clarity and flexibility
- 70 durometer for soft, easy handling and bending without tubing collapse
- Operating temperatures, depending upon conditions, are -40°F to +150°F (-40°C to +65°C)

PART #	TUBE O.D.	TUBE I.D.	WALL THICKNESS	WORKING PRESSURE 73°F PSI	LENGTH (FT.)	QTY.
102681444	1/4"	1/8"	.063"	65	50'	1
102680841	3/8"	1/4"	.064"	55	50'	1
102673093	1/2"	3/8"	.063"	45	50'	1

***While Supplies Last**

HARDWARE & FASTENERS

Metal Detectable Cable Ties



- Detectable using metal detection and X-ray detection systems and vision systems
- Polypropylene base material is buoyant in liquid applications
- Material: polyamide (Nylon 6.6) or polypropylene
- For use in temperatures ranging from -40°F to 185°F (-40°C to 85°C)
- Color: Blue

PART #	TIE LENGTH (IN)	BODY WIDTH (IN)	MAX WIRE BUNDLE (IN)	TENSILE STRENGTH (LBS)	BASE MATERIAL	QTY.
116741632	3.62"	.09"	.63"	18	Nylon	100
116741637	7.31"	.19"	1.75"	50	Nylon	100
116741643	13.40"	.27"	3.50"	120	Nylon	50
116741649	14.20"	.19"	4.00"	50	Nylon	100

316 Stainless Metric Hex Head Cap Screws



- 316 Stainless Steel/A4-70
- Provides excellent corrosion resistance

DIA - PITCH	PART #	LENGTH	QTY.
M6-1.0	**119956018**	10	50
	119956019	12	50
	119956020	16	50
	119956021	20	50
	119956022	25	50
	119956023	30	50
	119956024	35	50
	119956025	40	50
	119956026	45	25
	119956027	50	25
M8-1.25	**119956028**	10	25
	119956029	12	25
	119956030	16	25
	119956031	20	25
	119956032	25	25
	119956033	30	25
	119956034	35	20
	119956035	40	20
	119956036	45	20
M10-1.5	**119956037**	16	20
	119956038	20	20
	119956039	25	20
	119956040	30	20
	119956041	35	20
	119956042	40	20
	119956043	45	15
	119956044	50	15

DIA - PITCH	PART #	LENGTH	QTY.
M12-1.75	**119956046**	20	15
	119956047	25	15
	119956048	30	15
	119956049	35	15
	119956050	40	10
	119956051	45	10
	119956052	50	10
	119956053	60	10
	119956054	65	10
	119956055	70	5
	119956056	80	5
M14-2.0	**119956057**	25	5
	119956058	30	5
	119956059	35	5
	119956060	40	5
	119956061	45	5
	119956062	50	5
	119956063	55	5
	119956064	60	5
M16-2.0	**119956065**	25	5
	119956066	30	5
	119956067	35	5
	119956068	40	5
	119956069	45	2
	119956070	50	2
	119956071	55	2
	119956072	60	2
	119956083	70	2
	119956084	80	2
	119956085	90	2
	119956086	100	1
	119956087	110	1
M20-2.5	**119956088**	160	1
	119956089	180	1
	119956090	200	1

STOCK UP ON CAPS, HOODS, AND BEARD COVERS:
Don't Let a Single Hair Halt Your Entire Operation

Equipping your workforce with food-contact-compliant PPE and protective apparel eliminates primary sources of physical and biological contamination, helping you pass rigorous GFSI, SQF, and FDA audits. Providing compliant hand, body, and foot protection also satisfies OSHA standards for workplace hazard prevention.



HEAD & FACIAL HAIR CONTAINMENT

Disposable Bouffant Caps

- Spunbond polypropylene offers a secure, comfortable fit for all-day wear
- Strong, elastic headband
- Not made with natural rubber latex
- Complies with FFDCA food handling requirements 21 CFR, Parts 170-199
- Prevents stray hairs from contaminating food or work surfaces



PART #	COLOR	SIZE	QTY.
116683851	White	21"	100
116683853*	Blue	21"	100
120019144*	Red	21"	100
120019140*	White	24"	100
120019141	White	24"	1000
120019142*	Blue	24"	100
120019143	Blue	24"	1000

PART #	COLOR	SIZE	QTY.
116692936	Red	24"	100
116692939	Red	24"	1000
116958730	Green	24"	100
116958731	Green	24"	1000

Disposable Polypropylene Hoods

- One-piece spunbond polypropylene
- Good alternative to bouffants and hairnets
- Not made with natural rubber latex
- Strong, elastic face enclosure
- Complies with FFDCA food handling requirements 21 CFR, Parts 170-199



PART #	COLOR	SIZE	QTY.
116683874	White	Large	100
120019150*	Blue	Large	100

Disposable Beard Covers

- Breathable and comfortable spunbond polypropylene for all-day wear
- Superior barrier properties
- Not made with natural rubber latex
- Strong, elastic earloops
- Complies with FFDCA food handling requirements 21 CFR, Parts 170-199



PART #	COLOR	QTY.
116683872	White	100
120019148*	Blue	100

EAR PROTECTION

Moldex® SparkPlugs® Metal Detectable Disposable Earplugs PlugStation®*

- SparkPlugs® metal detectable version with metal detectable cord. The enclosed metal ball bearing eliminates any exposed metal.
- The ball bearing and cord are in separate holes so that the earplugs remain detectable even if the cord is removed



PART #	DESCRIPTION	COLOR	NRR	QTY.
120582395	Disposable, Corded	Blue/White	33dB	150 Pair

⚠ **WARNING:** Cancer risk from exposure to vinyl acetate. See www.P65Warnings.ca.gov.

E-A-R™ UltraFit™ Earplugs, Metal Detectable*

- Metal-detectable ball bearing for high detectability
- Pre-molded, triple flange earplugs fit comfortably in a wide range of ear sizes
- No need to roll earplugs before fitting so the tips stay clean even if hands are dirty
- Soft polymer is washable and reusable
- Poly bag keeps each pair of earplugs available or accessible for re-use



PART #	DESCRIPTION	COLOR	NRR	QTY.
116687129	Reusable, corded	Blue	25 dB	400 Pair

20% of the manufacturing workforce exposed to dangerous noise levels are affected by hearing loss. Your most valuable asset is your team. Metal detectable ear plugs keep your crew and your production safe.

Source: Manufacturing Statistics | Noise and Hearing Loss | CDC



***While Supplies Last**

REPLENISH SUPPLIES:
Industrial Work Gloves, Coveralls, and Foot Protection

BODY & FOOT PROTECTION

Dupont™ Tyvek® 400 Disposable Coveralls



- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops microporous particles better than other reusable garments
- The best balance of protection, durability and comfort
- Comfort fit design, stormflap, respirator fit hood, elastic waist, serged seams, and pin lock slider zipper pull

Elastic wrists and ankles

PART #	COLOR	SIZE	QTY.
116749026	White	M	25
102681819*	White	L	1
116749021	White	L	25
102643472	White	XL	1
116749040	White	XL	25
102650424	White	2XL	1
116749030	White	2XL	25

Open wrists and ankles

PART #	COLOR	SIZE	QTY.
102640488*	White	L	1
116749056	White	L	25
116749077	White	XL	25
102641159*	White	2XL	1
116749061	White	2XL	25

⚠ **WARNING:** Cancer and Reproductive Harm-www.P65Warnings.ca.gov.

Disposable Polyethylene Aprons



- Die cut embossed polyethylene
- Open neck for easy removal
- Adjustable waist ties
- 100 aprons individually folded
- Complies with FFDCA food handling requirements 21 CFR, Parts 170-199

PART #	COLOR	SIZE	THICKNESS	QTY.
116683886*	White	28 x 46	1 mil	100

Disposable Boot Covers



- Easily slides over boots to keep dry and clean
- Waterproof embossed low-density polyethylene
- Complies with FFDCA food handling requirements 21 CFR, Parts 170-199

PART #	COLOR	SIZE	QTY.
120019156*	Clear	X-Large	50

Disposable Shoe Covers

- Protects shoes and surfaces from dirt, grime and light liquid splashes
- Elastic top fits snuggly for easy donning
- Non-skid sole provides traction on slippery surfaces
- Complies with FFDCA food handling requirements 21 CFR, Parts 170-199

PART #	COLOR	SIZE	QTY.
116683903	Blue	Large	100
116683909	Blue	X-Large	100
120019152*	White	Large	100
120019154*	White	X-Large	100



INDUSTRIAL & DISPOSABLE HAND PROTECTION

Ambi-dex® Repel Disposable Latex Glove

- Fully textured provides a good grip in wet or dry environments
- Ambidextrous for quick and easy donning
- Powder-free for clean comfort and superior tactile sensitivity
- Beaded cuff adds strength to cuff edge for longer glove life and prevents liquid run-off
- Complies with FDA food handling requirements 21 CFR, Part 177
- Meets the ASTM A-3578 spec for powder
- Industry grade - For non-medical use
- 100 gloves/dispenser box



PART #	THICKNESS	COLOR	SIZE	QTY.
116763847*	5 mil	White	S	1
116763841	5 mil	White	M	1
116763837*	5 mil	White	L	1
116763852*	5 mil	White	XL	1

SHOWA Biodegradable Disposable Nitrile Gloves

- 100% nitrile disposable glove with a smooth grip
- Eco Best Technology® enables the glove to biodegrade when disposed
- Second-skin fit and feel for comfort and dexterity
- Significantly stronger alternative to latex
- Powder free, rolled cuff
- 100 gloves/dispenser box





PART #	THICKNESS	COLOR	SIZE	QTY.
116729874	4 mil	Green	M	1
116729868	4 mil	Green	L	1
116729886	4 mil	Green	XL	1
116729917*	4 mil	Black	S	1
116729904	4 mil	Black	L	1
116729923	4 mil	Black	XL	1
116729935*	4 mil	Black	XXL	1

MCR SAFETY Black Jack® Series Black Neoprene Coated Work Gloves



- Multi-dipped with rugged black neoprene
- 14"L fully coated
- Foam insulated lining, etched rough finish
- Black color hides dirt and grime
- ANSI Contact Heat 5 - Less than 608°F (320°C)
- Component materials comply with all federal regulations for food contact

PART #	COLOR	SIZE	QTY.
102642597*	Black	L	1

⚠ **WARNING:** Cancer and Reproductive Harm-www.P65Warnings.ca.gov.



***While Supplies Last**

APPLIED MSS℠ SHOP SOLUTIONS

NOV/DEC 2026

EQUIP YOUR PRODUCTION LINE:
Food-Safe Cleaners, Detectable Accessories, and Utility Essentials

Alpet D2 Surface Sanitizer



- Ready-to-use, no-rinse, food surface contact safe
- 58% IPA/quat formula
- Kills 99.999% of tested bacteria and viruses
- EPA and NSF Registered – Rated D2
- Kosher certified and Pareve, Halal certified
- Highly evaporative / ideal for dry processing and low-moisture environments

PART #	DESCRIPTION	QTY.
116679792	32oz. Qt Bottle (907g) w/Trigger Sprayer	1
116679795	32oz. Qt Bottle (907g) w/Trigger Sprayer	12

NSF Nonfood Compounds #126509

CRC® Food Grade HydroForce® Glass Cleaner



- Water based, safe on plastics
- Biodegradable, ready to use
- Provides streak-free glass cleaning even on delicate glass surfaces

PART #	DESCRIPTION	QTY.
116679719	20oz. Can, 18oz. net wt. (510g)	1
116679722	20oz. Can, 18oz. net wt. (510g)	12

NSF Nonfood Compounds #191378

VENDOR NUMBER 14412

⚠ **WARNING:** Cancer and Reproductive Harm-www.P65Warnings.ca.gov.

Metal Detectable Cotton Cloth Rags



- Ideal for shop and machine cleanup
- Vacuum packed vinyl bag for space saving storage
- Metal detected - scanned for any traces of metal

PART #	DESCRIPTION	QTY.
106289634	10 Lb. Bag, Multi-Color Cotton Cloth Rags	1

Poly-Temp® Ceramic Tape, Food Grade*



- Formulated specifically for anti-seize applications
- Discourages seizing, galling, and carbon fusing
- Compatible with a wide range of chemicals
- Non-flammable, non-staining
- Inhibits corrosion, rusting, and galvanic pitting
- Excellent pipe thread sealant up to 550°F (288°C)
- Made from resins that meet the FDA requirement 21 CFR 177.1550

PART #	SIZE	COLOR	QTY.
120582362	1/2" x 600"	White	1
120582363	3/4" x 600"	White	1

Contaminant Free Depressed Center Cut-Off Wheels



- Premium quality aluminum oxide grain; provides burr free cutting with better life
- Free of iron sulfur and chlorinated fillers for contaminate free cutting of stainless steel
- Recommended for optimum cutting of stainless steel and high temperature alloys as well as all carbon and ferrous metals

PART #	SIZE DIA. X THICK X BORE	GRADE	TYPE	MAX RPM	QTY.
116761192	4-1/2 x 1/16 x 7/8	A 46 S SGP INOX	27	13,300	5
106286009	6 x 1/16 x 7/8	A 46 S SGP INOX	1	10,200	5
106260815	7 x .045 x 7/8	A 46 S SGP INOX	27	8,600	5

Metal-detectable supplies prevent foreign-object contamination that trigger costly product recalls, line shutdowns, and failed GFSI/FDA audits. Standard plastic tools shatter into untraceable fragments, risking discarded batches and regulatory penalties. Because these supplies contain magnetic additives visible to inline detectors and X-ray systems, dropped tools or broken pieces are caught instantly.



Metal Detectable Retractable Permanent Markers



- Robust, non-toxic, detectable permanent marker pens for writing on all surfaces suitable for use in all food production environments
- Metal detectable & X-ray visible
- Shatterproof and virtually unbreakable

PART #	DESCRIPTION	QTY.
117585169	Black Ink Color, Bullet Tip	50

Metal Detectable Retractable Economy Pen*



- Ergonomic retractable economy pen with ridges at the point of grip
- Metal detectable & X-ray visible

PART #	DESCRIPTION	QTY.
116675254	Black Ink color	50
120416142	Blue Ink Color	50

Metal Detectable Klever Kutter™



- Made of metal detectable plastic
- Blade made with high quality stainless steel
- Approved for Non Splash Zone
- Comes with dual hook design, single blade cutter on each side
- Recessed blade prevents contact with fingers
- We recommend testing the metal detectable safety cutter in your magnetometer to ensure it meets your safety and measurement requirements

PART #	DESCRIPTION	COLOR	QTY.
116689918	1.25"W x 4.625"L	Blue	10

Blue Metal Detectable Adhesive Bandages



PART #	DESCRIPTION	QTY.
116733167	1" x 3" Plastic Bandages, 1500/box	1500
116733162	1" x 3" Fabric Bandages, 1500/box	1500
116733210	Fabric Fingertip Bandages, 1500/box	1500
116735891	Fabric Knuckle Bandages, 40/box	40

***While Supplies Last**

Every Small Part Counts We're here to manage them for you!®

AppliedMSS.com | 800-458-4018

APPLIED Maintenance Supplies & Solutions®

© 2026 Applied Maintenance Supplies & Solutions NOVSS26